





TWENTY-7 TRIMLESS

415 35 00



 [View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	100
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.1
ADJUSTABILITY	non adjustable
INFORMATION	INCL.SPY TUBE BLACK

Electrical info

	1 x LED Filament max.20W
CLASS	I

Lightsource info

LIGHTSOURCE NAME	E27
MIN. DISTANCE TO LIGHTSOURCE (M)	0,1

Remarks

lamp not included

Requirements

MOUNTING KIT R60 TRIMLESS O.F.A.

Options

SPY TUBE

For detailed installation instructions, please consult the manual: [415_35_00_HAND.pdf](#)

TWENTY-7 TRIMLESS


415 35 00

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT R60 TRIMLESS O.F.A.	Required
 Plasterboard	 MOUNTING KIT R60 TRIMLESS O.F.A.	Required
 Stucanet	 MOUNTING KIT R60 TRIMLESS O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT R60 TRIMLESS O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT R60 TRIMLESS O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT R60 TRIMLESS O.F.A.	Required
 Stretched ceiling	 MOUNTING KIT R60 TRIMLESS CSC	Required
	 MOUNTING KIT R60 TRIMLESS WSC	Required

FINISH YOUR SPECIFICATION

Mounting kits




15212 2050

MOUNTING KIT R60 TRIMLESS O.F.A.

☐


Mounting kits stretched ceiling



15212 0060

MOUNTING KIT R60 TRIMLESS CSC

☐




15212 0140

MOUNTING KIT R60 TRIMLESS WSC

☐

Finish your product



414 01 00 B

SPY TUBE B

☐

414 01 00 FBR

SPY TUBE FBR

☐

414 01 00 FG

SPY TUBE FG

☐

414 01 00 W

SPY TUBE W

☐

Notes:

 DELTALIGHT®

TWENTY-7 TRIMLESS

415 35 00