





CARREE TRIMLESS LED IP 92733 S1 W

202 511 811 922 W

AVAILABLE IN
WHITE 202 511 811 922 W



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - KIT
RECESSED DEPTH (MM)	75
THICKNESS OF MOUNTING SURFACE (MM)	9 or 12
INGRESS PROTECTION	IP44
WEIGHT (KG)	0.3
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR FL-33° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 753-1041lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1041lm // 8,6W // 121lm/W
LED TECHNICS (LUMINAIRE)	812lm // 10W // 82lm/W

Requirements

MOUNTING KIT 75 TRIMLESS
MOUNTING KIT 75 TRIMLESS O.F.A.
LED POWER SUPPLY 350 / 500mA-DC DIM (Remote)

CARREE TRIMLESS LED IP 92733 S1 W

202 511 811 922 W

For detailed installation instructions, please consult the manual: [202_511_811_XXX_HAND.pdf](#)

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT 75 TRIMLESS	Required
 Plasterboard	 MOUNTING KIT 75 TRIMLESS	Required
 Stucanet	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required

CARREE TRIMLESS LED IP 92733 S1 W

202 511 811 922 W

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B

☐










21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

☐






 DELTALIGHT®

CARREE TRIMLESS LED IP 92733 S1 W


202 511 811 922 W

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->4(4) / 1->4(4)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->2(1) / 1->2(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6) / 1->6(4)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1->2(1) / 1(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(1) / 1(1)	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2 / 1->2	☐
	21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	1	☐
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	1	☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	2->2	☐

CARREE TRIMLESS LED IP 92733 S1 W
 202 511 811 922 W

	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1->2 / 1->2 ☐
	21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68	1-2(2) ☐
	21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68	1-2(1) ☐
	21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1 ☐
	21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5	1 ☐

Mounting kits

	202 01 75 MOUNTING KIT 75 TRIMLESS	☐
	202 01 75 OFA MOUNTING KIT 75 TRIMLESS O.F.A.	☐

Notes: