





REO 2 S OK 92733 S1 W

202 38 812 922 W

AVAILABLE IN
WHITE 202 38 812 922 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - 190 x 98
RECESSED DEPTH (MM)	70
THICKNESS OF MOUNTING SURFACE (MM)	max.30
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.7
ADJUSTABILITY	0° to 30° swiveling, 350° rotatable
INFORMATION	2 x REFLECTOR FL-33° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	2 x (LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 753-1041lm)
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	2082lm // 17,2W // 121lm/W
LED TECHNICS (LUMINAIRE)	1695lm // 20W // 86lm/W

Requirements

LED POWER SUPPLY 350 / 500mA-DC DIM

For detailed installation instructions, please consult the manual: [202_38_812_XXX_HAND.pdf](#)










CEILING COMPATIBILITY

Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Stretched ceiling	-









REO 2 S OK 92733 S1 W

202 38 812 922 W

FINISH YOUR SPECIFICATION

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->2(2) / 1->2(2)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1(0,5) / 1(0,5)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	1->3(3) / 1->3(2)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1(0,5) / 0,5(0,5)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1(0,5) / 0,5(0,5)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	1 / 0,5	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1 / 1	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1 / 1	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1 / 1	☐

REO 2 S OK 92733 S1 W
 202 38 812 922 W

	21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	0,5 ☐
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	0,5 ☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	1 ☐
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1/1 ☐
	21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68	1(1) ☐
	21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68	1(0,5) ☐
	21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	0,5 ☐
	21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5	0,5 ☐

Notes: