




SUPERLOOP S HC 106 MDL B

418 482 106 B

AVAILABLE IN
BLACK 418 482 106 B



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	2.5
ADJUSTABILITY	non adjustable
INFORMATION	INCL.4 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 2 x 0.75mm ²

Electrical info

CLASS	III
--------------	-----

Requirements

LED POWER SUPPLY 48V-DC
SUPERLOOP POWERBOX 48V-DC

Options

CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90
CONNECTION ST / CONNECTION TRIMLESS
SUSPENSION ST / SUSPENSION TRIMLESS
DIMMABLE MODULATOR


For detailed installation instructions, please consult the manual: [418_482_106_HAND.pdf](#)

SUPERLOOP S HC 106 MDL B

418 482 106 B

COMPATIBLE PARTS


Coversets



204 00 100 COVERSET R 100



Current supply



203 99 55 CABLE BASE R





203 99 56 CABLE BASE S



Electric connection parts




328 10 03 CONNECTION TRIMLESS O.F.A.




15225 0360 CONNECTION ST




LED power supplies



300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN



21012 0230 LED POWER SUPPLY 48V-DC / 100W




21012 0240 LED POWER SUPPLY 48V-DC / 200W


SUPERLOOP S HC 106 MDL B

418 482 106 B


Power box



300 48 060 SUPERLOOP POWERBOX F - 48V / 60W




418 48 050 SUPERLOOP POWERBOX L - 48V-DC / 50W




418 48 100 SUPERLOOP POWERBOX H - 48V-DC / 100W



SMART 48




300 90 011 SMART 48 MODULATOR DIM9



300 90 012 SMART 48 MODULATOR WD

Suspension parts



328 10 01 SUSPENSION TRIMLESS O.F.A.



15225 0340 SUSPENSION ST




SUPERLOOP S HC 106 MDL B


418 482 106 B

COMPATIBLE LUMINAIRES

SUPERLOOP-FIX 40 DOWN-UP MDL




418 162 822 MDL SUPERLOOP-FIX 40 DOWN-UP 82720 MDL




418 162 832 MDL SUPERLOOP-FIX 40 DOWN-UP 83020 MDL

SUPERLOOP-FIX 45 MDL




418 263 923 MDL SUPERLOOP-FIX 45 92740 MDL




418 263 933 MDL SUPERLOOP-FIX 45 93040 MDL


SUPERLOOP-SPY 52 MDL



20583 9020 SUPERLOOP-SPY 52 SOFT 93020 MDL



20583 9030 SUPERLOOP-SPY 52 SOFT 93045 MDL




20583 9040 SUPERLOOP-SPY 52 SOFT 93030 MDL


SUPERLOOP S HC 106 MDL B

418 482 106 B


SUPERLOOP-SPY 66 MDL




20569 9210 SUPERLOOP-SPY 66 92718 MDL




20569 9220 SUPERLOOP-SPY 66 92730 MDL




20569 9230 SUPERLOOP-SPY 66 92745 MDL



20569 9310 SUPERLOOP-SPY 66 93018 MDL




20569 9320 SUPERLOOP-SPY 66 93030 MDL




20569 9330 SUPERLOOP-SPY 66 93045 MDL

SUPERLOOP-SPY FOCUS MDL




20547 9200 SUPERLOOP-SPY FOCUS LP 927 MDL



20547 9300 SUPERLOOP-SPY FOCUS LP 930 MDL

SUPERLOOP-XY180 MDL



418 561 93 MDL SUPERLOOP-XY180 930 MDL



SUPERLOOP S HC 106 MDL B

418 482 106 B

Notes: