





SUPERNOVA LINE 65 TW DOWN-UP DIM5 B

274 96 06 26 ED5 B

AVAILABLE IN

BLACK 274 96 06 26 ED5 B

WHITE 274 96 06 26 ED5 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	7.1
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL INCL.DIMMABLE LED POWER SUPPLY - DALI (DT6) CABLING 2 CIRCUITS 4 DALI CONTROL CHANNELS INCL.4 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 5 x 0.75mm ²
Electrical info	
ELECTRICAL	120-240V / 0 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	DALI
ENERGY CLASS	F
CERTIFICATES	CB, ENEC, RCM
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	DOWN @ 2700K : LED cluster 45W / CRI>80 / 2700K - 5700K / 4208lm UP @ 2700K : LED cluster 17W / CRI>80 / 2700K - 5700K / 1374lm Or DOWN @ 5700K : LED cluster 45W / CRI>80 / 2700K - 5700K / 4841lm UP @ 5700K : LED cluster 17W / CRI>80 / 2700K - 5700K / 1510lm
LED TECHNICS (LIGHT SOURCE)	DOWN @ 2700K: 4208 lm // 45 W // 93 lm/W UP @ 2700K: 1374 lm // 17 W // 81 lm/W Or DOWN @ 5700K: 4841 lm // 45 W // 108 lm/W UP @ 5700K: 1510 lm // 17 W // 89 lm/W
LED TECHNICS (LUMINAIRE)	DOWN @ 2700K: 3131lm // 52W // 60lm/W UP @ 2700K: 1201lm // 20W // 61lm/W Or DOWN @ 5700K: 3592lm // 52W // 69lm/W UP @ 5700K: 1320lm // 20W // 68lm/W

SUPERNOVA LINE 65 TW DOWN-UP DIM5 B

274 96 06 26 ED5 B

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS



SUSPENSION ST / SUSPENSION TRIMLESS

For detailed installation instructions, please consult the manual: [**274_96_06_26_ED5_HAND.pdf**](#)


SUPERNOVA LINE 65 TW DOWN-UP DIM5 B
274 96 06 26 ED5 B

FINISH YOUR SPECIFICATION

Current supply

	<u>203 99 55 ANO</u> CABLE BASE R ANO	☐
	<u>203 99 55 B</u> CABLE BASE R B	☐
	<u>203 99 55 W</u> CABLE BASE R W	☐
	<u>203 99 56 ANO</u> CABLE BASE S ANO	☐
	<u>203 99 56 B</u> CABLE BASE S B	☐
	<u>203 99 56 W</u> CABLE BASE S W	☐

Coversets


	<u>204 00 100 B</u> COVERSET R 100 B	☐
	<u>204 00 100 W</u> COVERSET R 100 W	☐



SUPERNOVA LINE 65 TW DOWN-UP DIM5 B

274 96 06 26 ED5 B


Suspension parts



328 10 01

SUSPENSION TRIMLESS O.F.A.

☐



15225 0340 B

SUSPENSION ST B


☐

15225 0340 W

SUSPENSION ST W

☐


Electric connection parts



328 10 03

CONNECTION TRIMLESS O.F.A.

☐



15225 0360 B

CONNECTION ST B

☐

15225 0360 W

CONNECTION ST W

☐

Notes: