



ONE-AND-ONLY P20 DOWN-UP 930 B-B



404 20 93 B-B

AVAILABLE IN

BLACK-BLACK 404 20 93 B-B

GOLD COLORED-BLACK 404 20 93 GC-B

WHITE-WHITE 404 20 93 W-W



 [View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	11.5
ADJUSTABILITY	non adjustable
INFORMATION	DOWN-UP INCL.LED POWER SUPPLY INCL.2 x CABLE SUSPENSION SINGLE AUTO. 1.6m INCL.1 x CABLE 3 x 0.75mm ²

Electrical info

ELECTRICAL	220-240V / 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	non-dimmable
ENERGY CLASS	F
CERTIFICATES	CB, EAC, ENEC, RCM

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	DOWN: LED cluster 56,1W / CRI>90 / 3000K / 5667lm UP: LED cluster 37,4W / CRI>90 / 3000K / 3778lm INCL.LED POWER SUPPLY
LED TECHNICS (LIGHT SOURCE)	DOWN: 5667lm // 56,1W // 101lm/W UP: 3778lm // 37,4W // 101lm/W
LED TECHNICS (LUMINAIRE)	DOWN: 5118lm // 65W // 79lm/W UP: 2779lm // 43W // 65lm/W

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS

SUSPENSION ST / SUSPENSION TRIMLESS



ONE-AND-ONLY P20 DOWN-UP 930 B-B


404 20 93 B-B

For detailed installation instructions, please consult the manual: [404_20_9X_HAND.pdf](#)


ONE-AND-ONLY P20 DOWN-UP 930 B-B
404 20 93 B-B

FINISH YOUR SPECIFICATION

Current supply

	<u>203 99 55 ANO</u> CABLE BASE R ANO	☐
	<u>203 99 55 B</u> CABLE BASE R B	☐
	<u>203 99 55 W</u> CABLE BASE R W	☐
	<u>203 99 56 ANO</u> CABLE BASE S ANO	☐
	<u>203 99 56 B</u> CABLE BASE S B	☐
	<u>203 99 56 W</u> CABLE BASE S W	☐


Coversets

	<u>204 00 100 B</u> COVERSET R 100 B	☐
	<u>204 00 100 W</u> COVERSET R 100 W	☐

ONE-AND-ONLY P20 DOWN-UP 930 B-B

404 20 93 B-B

Suspension parts



328 10 01

SUSPENSION TRIMLESS O.F.A.

☐



15225 0340 B

SUSPENSION ST B


☐

15225 0340 W

SUSPENSION ST W

☐

Electric connection parts



328 10 03

CONNECTION TRIMLESS O.F.A.

☐



15225 0360 B

CONNECTION ST B

☐

15225 0360 W

CONNECTION ST W

☐

Notes: