



HEDRA ON 2 93033 DIM1 GC-B

473 231 812 932 ED1 GC-B



AVAILABLE IN

BLACK-BLACK 473 231 812 932 ED1 B-B

BLACK BRONZE-BLACK 473 231 812 932 ED1 BBR-B

GOLD COLORED-BLACK 473 231 812 932 ED1 GC-B

WHITE-WHITE 473 231 812 932 ED1 W-W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Surface mounted, Wall Surface mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.9
ADJUSTABILITY	0° to 90° swiveling, 355° rotatable
INFORMATION	2 x REFLECTOR FL-33° INCL.DIMMABLE LED POWER SUPPLY 350mA-DC

Electrical info

ELECTRICAL	220-240V / 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	1-10V
ENERGY CLASS	C
CERTIFICATES	CB, EAC, ENEC, RCM

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	2 x (LED array 5,8W / CRI>90 (R9: 52) / 3000K / 787lm)
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUPE	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1574lm // 11,6W // 135lm/W
LED TECHNICS (LUMINAIRE)	790lm // 13W // 59lm/W

Requirements

VIZIR TUBE

Accessories

VIZIR HONEYCOMB
VIZIR SOFTENING LENS


HEDRA ON 2 93033 DIM1 GC-B

473 231 812 932 ED1 GC-B

For detailed installation instructions, please consult the manual: [473_231_812_XXX_ED1_HAND.pdf](#)

FINISH YOUR SPECIFICATION


Miscellaneous control equipment




300 90 016 ED1 WIRELESS CONTROL 5A DIM1

☐

Light altering devices




473 03 01 B VIZIR HONEYCOMB B

☐

473 03 04 VIZIR SOFTENING LENS

☐

Finish your product



473 01 00 B VIZIR TUBE B

☐

473 01 00 W VIZIR TUBE W

☐

HEDRA ON 2 93033 DIM1 GC-B

473 231 812 932 ED1 GC-B

Notes: