





LASS-OH! 6060 93034 B

24811 9320 B

AVAILABLE IN

BLACK 24811 9320 B

GOLD COLOURED 24811 9320 GC



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	1
ADJUSTABILITY	non adjustable
INFORMATION	INCL.4 x DOT.COM S6 modules per module: 6 x REFLECTOR FL-34° EXCL.LED POWER SUPPLY 700mA-DC INCL.4 x CABLE SUSPENSION SINGLE AUTO. 1,6m INCL.1 x CABLE 2 x 0.75mm ²

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, EAC, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	4 x (LED cluster 6,1W / CRI>90 (R9: 50) / 3000K / 683lm)
TM-30 VALUES	Rf: 90 / Rg: 101
SDCM	SDCM3
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	2732lm // 24,4W // 112lm/W
LED TECHNICS (LUMINAIRE)	2159lm // 28W // 77lm/W

Requirements

LASS-OH! POWERBOX
LED POWER SUPPLY 700mA-DC DIM

Options

CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90
CONNECTION ST / CONNECTION TRIMLESS
SUSPENSION ST / SUSPENSION TRIMLESS

LASS-OH! 6060 93034 B

24811 9320 B

Accessories



JIHA S

For detailed installation instructions, please consult the manual: [24811_XXXX_HAND.pdf](#)

LASS-OH! 6060 93034 B
24811 9320 B




FINISH YOUR SPECIFICATION

Current supply







	203 99 55 ANO CABLE BASE R ANO	☐
	203 99 55 B CABLE BASE R B	☐
	203 99 55 W CABLE BASE R W	☐
	203 99 56 ANO CABLE BASE S ANO	☐
	203 99 56 B CABLE BASE S B	☐
	203 99 56 W CABLE BASE S W	☐

LED power supplies

#


	21012 0010 LED POWER SUPPLY MULTI POWER	1 ☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1 ☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1 ☐

LASS-OH! 6060 93034 B
24811 9320 B


Power box		#
	24814 0010 B LASS-OH! POWERBOX B	1 ☐
	24814 0011 B LASS-OH! POWERBOX DIM1 B	1 ☐
	24814 0015 B LASS-OH! POWERBOX DIM5 B	1 ☐
Coversets		
	204 00 100 B COVERSET R 100 B	☐
	204 00 100 W COVERSET R 100 W	☐
Suspension parts		
	328 10 01 SUSPENSION TRIMLESS O.F.A.	☐
	15225 0340 B SUSPENSION ST B	☐
	15225 0340 W SUSPENSION ST W	☐

LASS-OH! 6060 93034 B
24811 9320 B

Electric connection parts

	328 10 03	CONNECTION TRIMLESS O.F.A.	☐
	15225 0360 B	CONNECTION ST B	☐
	15225 0360 W	CONNECTION ST W	☐

Light altering devices

	24814 0020 B	JIHA! S B	☐
--	---------------------	-----------	--------------------------

Notes: