





LASS-OH! L210-4 92734 B
24818 9220 B

AVAILABLE IN
BLACK 24818 9220 B
GOLD COLOURED 24818 9220 GC



 [View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.9
ADJUSTABILITY	non adjustable
INFORMATION	INCL.4 x DOT.COM S6 modules per module: 6 x REFLECTOR FL-34° EXCL.LED POWER SUPPLY 700mA-DC INCL.2 x CABLE SUSPENSION SINGLE AUTO. 1,6m INCL.1 x CABLE 2 x 0.75mm ²

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, EAC, ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	4 x (LED cluster 6,1W / CRI>90 (R9: 50) / 2700K / 665lm)
TM-30 VALUES	Rf: 92 / Rg: 100
SDCM	SDCM3
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	2660lm // 24,4W // 109lm/W
LED TECHNICS (LUMINAIRE)	2102lm // 28W // 75lm/W

Requirements	
LASS-OH! POWERBOX	
LED POWER SUPPLY 700mA-DC DIM	

Options	
CABLE BASE R / S	
COVERSET R 62-90-100 / S 62-80-90	
CONNECTION ST / CONNECTION TRIMLESS	
SUSPENSION ST / SUSPENSION TRIMLESS	

LASS-OH! L210-4 92734 B

24818 9220 B

Accessories



JIHA S/R

For detailed installation instructions, please consult the manual: [24818_XXXX_HAND.pdf](#)

LASS-OH! L210-4 92734 B
24818 9220 B




FINISH YOUR SPECIFICATION

Current supply







	203 99 55 ANO CABLE BASE R ANO	☐
	203 99 55 B CABLE BASE R B	☐
	203 99 55 W CABLE BASE R W	☐
	203 99 56 ANO CABLE BASE S ANO	☐
	203 99 56 B CABLE BASE S B	☐
	203 99 56 W CABLE BASE S W	☐

LED power supplies


#

	21012 0010 LED POWER SUPPLY MULTI POWER	1 ☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1 ☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1 ☐



LASS-OH! L210-4 92734 B
 24818 9220 B

Power box		#
 24814 0010 B LASS-OH! POWERBOX B	1	☐
 24814 0011 B LASS-OH! POWERBOX DIM1 B	1	☐
 24814 0015 B LASS-OH! POWERBOX DIM5 B	1	☐
Coversets		
 204 00 100 B COVERSET R 100 B		☐
204 00 100 W COVERSET R 100 W		☐
Suspension parts		
 328 10 01 SUSPENSION TRIMLESS O.F.A.		☐
 15225 0340 B SUSPENSION ST B		☐
15225 0340 W SUSPENSION ST W		☐

Electric connection parts

	328 10 03 CONNECTION TRIMLESS O.F.A.	☐
	15225 0360 B CONNECTION ST B	☐
	15225 0360 W CONNECTION ST W	☐

Light altering devices

	24814 0020 B JIHA! S B	☐
	24814 0030 B JIHA! R B	☐

Notes: