





MICROSPY IN TRIMLESS 92715 B
24113 9210 B

AVAILABLE IN
BLACK 24113 9210 B
WHITE 24113 9210 W



 [View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	75
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.1
ADJUSTABILITY	non adjustable
INFORMATION	LENS SP-15° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 3,9-5,7W / CRI>90 (R9: 56) / 2700K / 385-519lm
TM-30 VALUES	rf: 91 / Rg: 99
SDCM	SDCM2
RISKGROUP	RG2 (threshold 0,6m)
LM80	L90B10 > 41000
LED TECHNICS (LIGHT SOURCE)	519lm // 5,7W // 90lm/W
LED TECHNICS (LUMINAIRE)	391lm // 7W // 60lm/W

Requirements

MOUNTING KIT TRIMLESS MICROSPY IN
LED POWER SUPPLY 350 / 500mA-DC DIM (Remote)

Accessories

MICRO VISOR

MICROSPY IN TRIMLESS 92715 B
24113 9210 B

For detailed installation instructions, please consult the manual: [24113_XXXX_HAND.pdf](#)










CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT TRIMLESS MICROSPY IN	Required
 Plasterboard	 MOUNTING KIT TRIMLESS MICROSPY IN	Required
 Stucanet	 MOUNTING KIT TRIMLESS MICROSPY IN	Required
 Concrete + plaster	 MOUNTING KIT TRIMLESS MICROSPY IN	Required
 Lintel + plaster	 MOUNTING KIT TRIMLESS MICROSPY IN	Required
 Hollow-core slab + plaster	 MOUNTING KIT TRIMLESS MICROSPY IN	Required

MICROSPY IN TRIMLESS 92715 B










24113 9210 B

FINISH YOUR SPECIFICATION

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->6(6) / 1->6(6)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->4(3) / 1->4(2) / 1->3(2)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	3->9(9) / 1->9(6)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	2->4(3) / 1->3(2) / 1->3(2)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	2->4(3) / 1->3(2) / 1->3(2)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	2->3 / 2->3	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	2->4 / 2->4	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	2->4 / 2->4	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->4 / 1->4 / 1->4	☐

MICROSPY IN TRIMLESS 92715 B


24113 9210 B

	21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	2->2 ☐
	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	3->3 ☐
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	2->2 ☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	4->4 ☐
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1->3 / 1->3 / 1->3 ☐
	21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68	1->4(3) ☐
	21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68	1->4(2) ☐
	21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1->3 ☐
	21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5	1->3 ☐

MICROSPY IN TRIMLESS 92715 B

24113 9210 B


Mounting kits



15212 2040 MOUNTING KIT TRIMLESS MICROSPY IN



Light altering devices



10034 0010 B MICRO VISOR B



Notes: