



INFORM R2 DOWN-UP 93048 W-W

26818 9320 W-W

AVAILABLE IN



BLACK-BLACK 26818 9320 B-B

BLACK-FLEMISH GOLD 26818 9320 B-FG

FLEMISH GOLD-BLACK 26818 9320 FG-B

WHITE-BLACK 26818 9320 W-B

WHITE-WHITE 26818 9320 W-W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	2.2
ADJUSTABILITY	non adjustable
INFORMATION	96 x REFLECTOR WFL-71° (DOWN) EXCL. LED 2 x POWER SUPPLY 700mA-DC (DOWN/UP) INCL. 4 x CABLE SUSPENSION SINGLE AUTO. 1,6m INCL. 1 x CABLE 5 x 0.75mm ²

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	C
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	DOWN: LED cluster 22,9W / CRI>90 (R9: 50) / 3000K / 3504lm UP: LED cluster 11,5W / CRI>90 (R9: 50) / 3000K / 1752lm
SDCM	SDCM3
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	DOWN: 3504lm // 22,9W // 153lm/W UP: 1752lm // 11,5W // 153lm/W
LED TECHNICS (LUMINAIRE)	DOWN: 2800lm // 26W // 106lm/W UP: 1121lm // 13W // 85lm/W

Requirements

LED POWER SUPPLY 700mA-DC DIM (Remote)

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS

SUSPENSION ST / SUSPENSION TRIMLESS

Delta Light NV may revise the information and technical data at any time without notice. Version: 02/03/2025



INFORM R2 DOWN-UP 93048 W-W

26818 9320 W-W



For detailed installation instructions, please consult the manual: [**26818_XXX0_HAND.pdf**](#)

INFORM R2 DOWN-UP 93048 W-W

26818 9320 W-W


FINISH YOUR SPECIFICATION

Current supply


	203 99 55 ANO CABLE BASE R ANO	☐
	203 99 55 B CABLE BASE R B	☐
	203 99 55 W CABLE BASE R W	☐
	203 99 56 ANO CABLE BASE S ANO	☐
	203 99 56 B CABLE BASE S B	☐
	203 99 56 W CABLE BASE S W	☐

LED power supplies

#

	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1 down / 1 up ☐
--	--	--


Coversets

	204 00 100 B COVERSET R 100 B	☐
	204 00 100 W COVERSET R 100 W	☐

INFORM R2 DOWN-UP 93048 W-W

26818 9320 W-W

Suspension parts



328 10 01

SUSPENSION TRIMLESS O.F.A.

☐

15225 0340 B

SUSPENSION ST B


☐

15225 0340 W

SUSPENSION ST W

☐

Electric connection parts



328 10 03

CONNECTION TRIMLESS O.F.A.

☐

15225 0360 B

CONNECTION ST B

☐

15225 0360 W

CONNECTION ST W

☐

Notes: