



INFORM R3 DOWN-UP 93048 W-W

26823 9320 W-W

AVAILABLE IN



BLACK-BLACK 26823 9320 B-B

BLACK-FLEMISH GOLD 26823 9320 B-FG

FLEMISH GOLD-BLACK 26823 9320 FG-B

WHITE-BLACK 26823 9320 W-B

WHITE-WHITE 26823 9320 W-W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	4.2
ADJUSTABILITY	non adjustable
INFORMATION	168 x REFLECTOR WFL-71° (DOWN) EXCL.2 x LED POWER SUPPLY 1050mA-DC (DOWN/UP) INCL.7 x CABLE SUSPENSION SINGLE AUTO. 1,6m INCL.1 x CABLE 5 x 0.75mm ²

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	C
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	DOWN: LED cluster 33,9W / CRI>90 (R9: 50) / 3000K / 5275lm UP: LED cluster 17W / CRI>90 (R9: 50) / 3000K / 2638lm
SDCM	SDCM3
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	DOWN: 5275lm // 33,9W // 155lm/W UP: 2638lm // 17W // 155lm/W
LED TECHNICS (LUMINAIRE)	DOWN: 4215lm // 39W // 108lm/W UP: 1688lm // 20W // 86lm/W

Requirements

LED POWER SUPPLY 1050mA-DC DIM (Remote)

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS

SUSPENSION ST / SUSPENSION TRIMLESS

Delta Light NV may revise the information and technical data at any time without notice. Version: 02/03/2025



INFORM R3 DOWN-UP 93048 W-W

26823 9320 W-W


For detailed installation instructions, please consult the manual: [26823_XXX0_HAND.pdf](#)

INFORM R3 DOWN-UP 93048 W-W

26823 9320 W-W

FINISH YOUR SPECIFICATION

Current supply



41 **203 99 55 ANO** CABLE BASE R ANO

☐

203 99 55 B CABLE BASE R B

☐

203 99 55 W CABLE BASE R W

☐

41 **203 99 56 ANO** CABLE BASE S ANO

☐

203 99 56 B CABLE BASE S B


☐

203 99 56 W CABLE BASE S W

☐

LED power supplies

#




300 90 63 LED POWER SUPPLY MULTI-POWER DIM9

1 down / 1 up

☐

Coversets



204 00 100 B COVERSET R 100 B

☐


204 00 100 W COVERSET R 100 W

☐

INFORM R3 DOWN-UP 93048 W-W


26823 9320 W-W

Suspension parts



328 10 01

SUSPENSION TRIMLESS O.F.A.

☐

15225 0340 B

SUSPENSION ST B


☐

15225 0340 W

SUSPENSION ST W

☐

Electric connection parts



328 10 03

CONNECTION TRIMLESS O.F.A.

☐

15225 0360 B

CONNECTION ST B

☐

15225 0360 W

CONNECTION ST W

☐

Notes: