





INFORM R4 C DOWN 92748 B-B

26825 9220 B-B

AVAILABLE IN
BLACK-BLACK 26825 9220 B-B
BLACK-FLEMISH GOLD 26825 9220 B-FG
FLEMISH GOLD-BLACK 26825 9220 FG-B
WHITE-BLACK 26825 9220 W-B
WHITE-WHITE 26825 9220 W-W



 [View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	2
ADJUSTABILITY	non adjustable
INFORMATION	96 x REFLECTOR WFL-71° EXCL.LED POWER SUPPLY 700mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 1,6m INCL.1 x CABLE 2 x 0.75mm ²

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	C
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 22,9W / CRI>90 (R9: 50) / 2700K / 3456lm
SDCM	SDCM3
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	3456lm // 22,9W // 151lm/W
LED TECHNICS (LUMINAIRE)	2886lm // 26W // 110lm/W

Requirements

LED POWER SUPPLY 700mA-DC DIM (Remote)
 INFORM R POWERBOX D DIM5

Options

CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90
 CONNECTION ST / CONNECTION TRIMLESS
 SUSPENSION ST / SUSPENSION TRIMLESS



INFORM R4 C DOWN 92748 B-B



26825 9220 B-B

For detailed installation instructions, please consult the manual: [26825_XXX0_HAND.pdf](#)

INFORM R4 C DOWN 92748 B-B
 26825 9220 B-B


FINISH YOUR SPECIFICATION

Current supply

	<u>203 99 55 ANO</u> CABLE BASE R ANO	☐
	<u>203 99 55 B</u> CABLE BASE R B	☐
	<u>203 99 55 W</u> CABLE BASE R W	☐
	<u>203 99 56 ANO</u> CABLE BASE S ANO	☐
	<u>203 99 56 B</u> CABLE BASE S B	☐
	<u>203 99 56 W</u> CABLE BASE S W	☐


Power box

#

	<u>26810 0015 B</u> INFORM R POWERBOX D DIM5 B	1 ☐
	<u>26810 0015 W</u> INFORM R POWERBOX D DIM5 W	1 ☐


LED power supplies

#



	<u>300 90 68</u> LED POWER SUPPLY MULTI-POWER DIM5	1 ☐
--	---	----------------------------

INFORM R4 C DOWN 92748 B-B
26825 9220 B-B



Coversets

	204 00 100 B COVERSET R 100 B	☐
	204 00 100 W COVERSET R 100 W	☐

Suspension parts

	328 10 01 SUSPENSION TRIMLESS O.F.A.	☐
	15225 0340 B SUSPENSION ST B	☐
	15225 0340 W SUSPENSION ST W	☐

Electric connection parts

	328 10 03 CONNECTION TRIMLESS O.F.A.	☐
	15225 0360 B CONNECTION ST B	☐
	15225 0360 W CONNECTION ST W	☐



INFORM R4 C DOWN 92748 B-B

26825 9220 B-B

Notes: