



INFORM R4 C DOWN-UP 92748 B-B

26826 9220 B-B

AVAILABLE IN



BLACK-BLACK 26826 9220 B-B

BLACK-FLEMISH GOLD 26826 9220 B-FG

FLEMISH GOLD-BLACK 26826 9220 FG-B

WHITE-BLACK 26826 9220 W-B

WHITE-WHITE 26826 9220 W-W



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	2.2
ADJUSTABILITY	non adjustable
INFORMATION	96 x REFLECTOR WFL-71° (DOWN) EXCL.2 x LED POWER SUPPLY 700mA-DC (DOWN/UP) INCL.3 x CABLE SUSPENSION SINGLE AUTO. 1,6m INCL.1 x CABLE 5 x 0.75mm ²

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	C
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	DOWN: LED cluster 22,9W / CRI>90 (R9: 50) / 2700K / 3456lm UP: LED cluster 11,5W / CRI>90 (R9: 50) / 2700K / 1728lm
SDCM	SDCM3
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	DOWN: 3456lm // 22,9W // 151lm/W UP: 1728lm // 11,5W // 151lm/W
LED TECHNICS (LUMINAIRE)	DOWN: 2761lm // 26W // 105lm/W UP: 1106lm // 13W // 84lm/W

Requirements

LED POWER SUPPLY 700mA-DC DIM (Remote)
INFORM R POWERBOX D/U DIM5

INFORM R4 C DOWN-UP 92748 B-B

26826 9220 B-B

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS

SUSPENSION ST / SUSPENSION TRIMLESS



For detailed installation instructions, please consult the manual: [26826_XXX0_HAND.pdf](#)

INFORM R4 C DOWN-UP 92748 B-B

26826 9220 B-B


FINISH YOUR SPECIFICATION

Current supply

	203 99 55 ANO CABLE BASE R ANO	☐
	203 99 55 B CABLE BASE R B	☐
	203 99 55 W CABLE BASE R W	☐
	203 99 56 ANO CABLE BASE S ANO	☐
	203 99 56 B CABLE BASE S B	☐
	203 99 56 W CABLE BASE S W	☐


Power box

#

	26810 0025 B INFORM R POWERBOX D/U DIM5 B	1 ☐
	26810 0025 W INFORM R POWERBOX D/U DIM5 W	1 ☐


LED power supplies

#



	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1 down / 1 up ☐
--	--	--

INFORM R4 C DOWN-UP 92748 B-B
26826 9220 B-B



Coversets

	204 00 100 B COVERSET R 100 B	☐
	204 00 100 W COVERSET R 100 W	☐

Suspension parts

	328 10 01 SUSPENSION TRIMLESS O.F.A.	☐
	15225 0340 B SUSPENSION ST B	☐
	15225 0340 W SUSPENSION ST W	☐

Electric connection parts

	328 10 03 CONNECTION TRIMLESS O.F.A.	☐
	15225 0360 B CONNECTION ST B	☐
	15225 0360 W CONNECTION ST W	☐



INFORM R4 C DOWN-UP 92748 B-B

26826 9220 B-B

Notes: