



MINI REO II OK X 92737 B

19354 9230 B



AVAILABLE IN

BLACK 19354 9230 B

FLEMISH BRONZE OUTDOOR 19354 9230 FBRX

ANTHRACITE (DARK GREY) 19354 9230 N

WHITE 19354 9230 W



[View on website](#)

General info

LOCATION	indoor-outdoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 70
RECESSED DEPTH (MM)	60
THICKNESS OF MOUNTING SURFACE (MM)	min.5
INGRESS PROTECTION	IP65
WEIGHT (KG)	0.2
ADJUSTABILITY	0° to 30° swiveling, 360° rotatable
INFORMATION	REFLECTOR WFL-37° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 702-974lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUPE	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	974lm // 8,6W // 113lm/W
LED TECHNICS (LUMINAIRE)	678lm // 10W // 69lm/W

Requirements

LED POWER SUPPLY 350 / 500mA-DC DIM

MINI REO II OK X 92737 B

19354 9230 B

For detailed installation instructions, please consult the manual: [19354_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Concrete	-
 Concrete + plaster	-
 Lintel + plaster	-
 Hollow-core slab	-
 Hollow-core slab + plaster	-
 Stretched ceiling	-

MINI REO II OK X 92737 B

19354 9230 B

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B

☐










21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

☐

 DELTALIGHT®


MINI REO II OK X 92737 B

19354 9230 B

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->4(4) / 1->4(3)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->2(2) / 1->2(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6) / 1->6(4)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1->2(2) / 1->2(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(2) / 1->2(1)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	1->2 / 1->2	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1->3 / 1->3	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1->3 / 1->3	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->3 / 1->3	☐


MINI REO II OK X 92737 B

19354 9230 B




21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8

1

☐



21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

2->2

☐



21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1

☐



21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2

☐



21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1->2 / 1->2

☐



21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8

1

☐



21012 0318 LED POWER SUPPLY 500mA / 10W DIM8

1

☐



21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68

1 -> 2(2)

☐


21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68

1 -> 2(1)

☐



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1->2

☐

MINI REO II OK X 92737 B

19354 9230 B



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2



Notes: