



SUPERLOOP HC 200 MDL B


20555 0000 B

AVAILABLE IN

BLACK 20555 0000 B

FLEMISH BRONZE 20555 0000 FBR

FLEMISH GOLD 20555 0000 FG



XL
Ø2.0m



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	6
ADJUSTABILITY	non adjustable
INFORMATION	INCL.4 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.2 x CABLE 2 x 0.75mm ²

Electrical info

CLASS	III
--------------	-----

Requirements

LED POWER SUPPLY 48V-DC
SUPERLOOP POWERBOX 48V-DC

Options

CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90
CONNECTION ST / CONNECTION TRIMLESS
SUSPENSION ST / SUSPENSION TRIMLESS
DIMMABLE MODULATOR


For detailed installation instructions, please consult the manual: [20555_0000_HAND.pdf](#)

SUPERLOOP HC 200 MDL B

20555 0000 B

COMPATIBLE PARTS


Coversets



204 00 100 COVERSET R 100



Current supply




203 99 55 CABLE BASE R



203 99 56 CABLE BASE S



Electric connection parts




328 10 03 CONNECTION TRIMLESS O.F.A.




15225 0360 CONNECTION ST




LED power supplies




300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN



21012 0230 LED POWER SUPPLY 48V-DC / 100W




21012 0240 LED POWER SUPPLY 48V-DC / 200W


SUPERLOOP HC 200 MDL B

20555 0000 B


Power box



300 48 060 SUPERLOOP POWERBOX F - 48V / 60W




418 48 050 SUPERLOOP POWERBOX L - 48V-DC / 50W




418 48 100 SUPERLOOP POWERBOX H - 48V-DC / 100W



SMART 48




300 90 011 SMART 48 MODULATOR DIM9




300 90 012 SMART 48 MODULATOR WD

Suspension parts



328 10 01 SUSPENSION TRIMLESS O.F.A.



15225 0340 SUSPENSION ST




SUPERLOOP HC 200 MDL B


20555 0000 B

COMPATIBLE LUMINAIRES

SUPERLOOP-FIX 40 DOWN-UP MDL




418 162 822 MDL SUPERLOOP-FIX 40 DOWN-UP 82720 MDL




418 162 832 MDL SUPERLOOP-FIX 40 DOWN-UP 83020 MDL

SUPERLOOP-FIX 45 MDL




418 263 923 MDL SUPERLOOP-FIX 45 92740 MDL




418 263 933 MDL SUPERLOOP-FIX 45 93040 MDL


SUPERLOOP-SPY 52 MDL



20583 9020 SUPERLOOP-SPY 52 SOFT 93020 MDL



20583 9030 SUPERLOOP-SPY 52 SOFT 93045 MDL




20583 9040 SUPERLOOP-SPY 52 SOFT 93030 MDL


SUPERLOOP HC 200 MDL B

20555 0000 B


SUPERLOOP-SPY 66 MDL




20569 9210 SUPERLOOP-SPY 66 92718 MDL




20569 9220 SUPERLOOP-SPY 66 92730 MDL




20569 9230 SUPERLOOP-SPY 66 92745 MDL



20569 9310 SUPERLOOP-SPY 66 93018 MDL




20569 9320 SUPERLOOP-SPY 66 93030 MDL




20569 9330 SUPERLOOP-SPY 66 93045 MDL

SUPERLOOP-SPY FOCUS MDL




20547 9200 SUPERLOOP-SPY FOCUS LP 927 MDL



20547 9300 SUPERLOOP-SPY FOCUS LP 930 MDL

SUPERLOOP-XY180 MDL



418 561 93 MDL SUPERLOOP-XY180 930 MDL



SUPERLOOP HC 200 MDL B

20555 0000 B

Notes: