





SUPERLOOP PLUS HC 120 SBL 930 FBR

20563 9300 FBR

AVAILABLE IN
BLACK 20563 9300 B
FLEMISH BRONZE 20563 9300 FBR
FLEMISH GOLD 20563 9300 FG
WHITE 20563 9300 W



 [View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	3.9
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL EXCL.LED POWER SUPPLY 900-1200mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 2 x 0.75mm ²

Electrical info	
CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	E

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 36,4-50,3W / CRI>90 (R9: 59) / 3000K / 5022-6665lm
SDCM	SDCM3
LM80	L70 > 30000
LED TECHNICS (LIGHT SOURCE)	6665lm // 50,3W // 132lm/W
LED TECHNICS (LUMINAIRE)	4005lm // 58W // 69lm/W

Remarks
 The indicated efficiency and luminaire lumen are based on the SUPERLOOP without PANEL.
[Click here for SUPERLOOP PLUS 120 acoustic specifications](#)

Requirements
 PANEL 120
 LED POWER SUPPLY 900 / 1200mA-DC DIM
 SUPERLOOP POWERBOX H 900mA
 SUPERLOOP POWERBOX H 1200mA

SUPERLOOP PLUS HC 120 SBL 930 FBR

20563 9300 FBR

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS

SUSPENSION ST / SUSPENSION TRIMLESS


For detailed installation instructions, please consult the manual: [20563_XXX0_HAND.pdf](#)

SUPERLOOP PLUS HC 120 SBL 930 FBR

20563 9300 FBR

FINISH YOUR SPECIFICATION

Current supply



203 99 55 ANO CABLE BASE R ANO

203 99 55 B CABLE BASE R B

203 99 55 W CABLE BASE R W



203 99 56 ANO CABLE BASE S ANO

203 99 56 B CABLE BASE S B


203 99 56 W CABLE BASE S W

SUPERLOOP PLUS HC 120 SBL 930 FBR

20563 9300 FBR

Power box

#




321 55 312 ED1 B SUPERLOOP POWERBOX H8 1200mA DIM1 B

1

321 55 312 ED1 W SUPERLOOP POWERBOX H8 1200mA DIM1 W

1




20548 0015 B SUPERLOOP POWERBOX H9 900mA DIM5 B

1

20548 0015 W SUPERLOOP POWERBOX H9 900mA DIM5 W

1



20548 0025 B SUPERLOOP POWERBOX H9 1200mA DIM5 B


1

20548 0025 W SUPERLOOP POWERBOX H9 1200mA DIM5 W

1


LED power supplies

#




300 90 129 LED POWER SUPPLY 900mA-DC / 60W DIM5

1



300 90 130 LED POWER SUPPLY 1200mA-DC / 60W DIM5

1




300 90 132 LED POWER SUPPLY 1200mA-DC / 70W DIM1

1

SUPERLOOP PLUS HC 120 SBL 930 FBR

20563 9300 FBR


Coversets




204 00 100 B COVERSET R 100 B

204 00 100 W COVERSET R 100 W

Suspension parts




328 10 01 SUSPENSION TRIMLESS O.F.A.



15225 0340 B SUSPENSION ST B

15225 0340 W SUSPENSION ST W

Electric connection parts



328 10 03 CONNECTION TRIMLESS O.F.A.



15225 0360 B CONNECTION ST B

15225 0360 W CONNECTION ST W


SUPERLOOP PLUS HC 120 SBL 930 FBR

20563 9300 FBR

Acoustic panel



20548 0070 PANEL 120 LIGHT GREY



20548 0080 PANEL 120 DARK GREY

Notes: