





MULTINOVA 55 SOFT 930 DIM5 B
28016 9005 B

AVAILABLE IN
BLACK 28016 9005 B
GOLD COLOURED 28016 9005 GC
WHITE 28016 9005 W



 [View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed,Ceiling Surface mounted,Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	4.5
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL INCL.DIMMABLE LED POWER SUPPLY

Electrical info

ELECTRICAL	220-240V / 50-60Hz
CLASS	I
POWER SUPPLY INCLUDED	YES
DIM TYPE	DALI
ENERGY CLASS	D
CERTIFICATES	CB, ENEC, RCM

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 32,3W / CRI>90 (R9: 50) / 3000K-1800K / 4567lm
TM-30 VALUES	Rf: 89,4 / Rg: 98,6
SDCM	SDCM3
RISKGROUP	RG1
LM80	L70 > 60000
LED TECHNICS (LIGHT SOURCE)	4567lm // 32,3W // 141lm/W
LED TECHNICS (LUMINAIRE)	3681lm // 37W // 99lm/W

Options

MULTINOVA 55 SUSPENSION SET
MULTINOVA ROD SUSPENSION
MULTINOVA 55 RECESSED KIT

MULTINOVA 55 SOFT 930 DIM5 B
28016 9005 B

For detailed installation instructions, please consult the manual: [28016_XXX5_HAND.pdf](#)

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit	
 System ceiling	 MULTINOVA 55 RECESSED KIT	Required
 Plasterboard	 MULTINOVA 55 RECESSED KIT	Required
 Stucanet	 MULTINOVA 55 RECESSED KIT	Required
 Concrete + plaster	 MULTINOVA 55 RECESSED KIT	Required
 Lintel + plaster	 MULTINOVA 55 RECESSED KIT	Required
 Hollow-core slab + plaster	 MULTINOVA 55 RECESSED KIT	Required

MULTINOVA 55 SOFT 930 DIM5 B

28016 9005 B

FINISH YOUR SPECIFICATION

Recessed kits



28010 0050 MULTINOVA 55 RECESSED KIT

☐


Suspension parts



27910 0010 B MULTINOVA 55 SUSPENSION SET 5x0,75 3m B

☐


27910 0010 W MULTINOVA 55 SUSPENSION SET 5x0,75 3m W

☐


27910 0030 B MULTINOVA 55 ROD SUSPENSION 0,4m B

☐

27910 0030 W MULTINOVA 55 ROD SUSPENSION 0,4m W

☐


27910 0040 B MULTINOVA 55 ROD SUSPENSION 0,8m B

☐

27910 0040 W MULTINOVA 55 ROD SUSPENSION 0,8m W

☐

Notes: