





M20/M26H - HEDRA 92708 DIM5 BBR

23363 9215 BBR

AVAILABLE IN
BLACK BRONZE 23363 9215 BBR
GOLD COLOURED 23363 9215 GC



 [View on website](#)

General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 90° swiveling, 355° rotatable
INFORMATION	LENS SP-8° EXCL.LED POWER SUPPLY 48V-DC

Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	DALI
ENERGY CLASS	F
CERTIFICATES	ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,7W / CRI>90 (R9: 56) / 2700K / 519lm
TM-30 VALUES	rf: 91 / Rg: 99
SDCM	SDCM2
RISKGROUP	RG2 (threshold 0,6m)
LM80	L90B10 > 41000
LED TECHNICS (LIGHT SOURCE)	519lm // 5,7W // 90lm/W
LED TECHNICS (LUMINAIRE)	397lm // 7W // 61lm/W

Remarks

Take a look at our **MAGNETIC PROFILES** movie

Requirements

VIZIR TUBE
 LED POWER SUPPLY 48V-DC



M20/M26H - HEDRA 92708 DIM5 BBR

23363 9215 BBR

Accessories

VIZIR HONEYCOMB

VIZIR SOFTENING LENS

For detailed installation instructions, please consult the manual: [23363_9XX5_HAND.pdf](#)


M20/M26H - HEDRA 92708 DIM5 BBR

23363 9215 BBR

FINISH YOUR SPECIFICATION


LED power supplies

#




300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN

14




300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN

34



21012 0230 LED POWER SUPPLY 48V-DC / 100W


14



21012 0240 LED POWER SUPPLY 48V-DC / 200W

29

Light altering devices



473 03 01 B VIZIR HONEYCOMB B




473 03 04 VIZIR SOFTENING LENS

M20/M26H - HEDRA 92708 DIM5 BBR

23363 9215 BBR

Finish your product



473 01 00 B VIZIR TUBE B

473 01 00 W VIZIR TUBE W

M20/M26H - HEDRA 92708 DIM5 BBR

23363 9215 BBR

COMPATIBLE COMPOSABLES

SHIFTLINE M26H + SBL


Available Colours




30411 9205 SHIFTLINE M26H + SBL 2m DIM5




30411 9305 SHIFTLINE M26H + SBL 2m DIM5




30412 9205 SHIFTLINE M26H + SBL 3m DIM5



30412 9305 SHIFTLINE M26H + SBL 3m DIM5



30413 9205 SHIFTLINE M26H + SBL 4m DIM5



30413 9305 SHIFTLINE M26H + SBL 4m DIM5




M20/M26H - HEDRA 92708 DIM5 BBR


23363 9215 BBR

SHIFTLINE M26H profile


Available Colours




23359 0000 SLM26H - PROFILE



23359 0010 SLM26H - PROFILE 1m



23359 0020 SLM26H - PROFILE 2m



23359 0030 SLM26H - PROFILE 3m



SPLITLINE M20 ST profile

Available Colours



23397 0000 SPM20 ST - PROFILE



23397 0020 SPM20 ST - PROFILE 2m



23397 0030 SPM20 ST - PROFILE 3m




M20/M26H - HEDRA 92708 DIM5 BBR


23363 9215 BBR

SPLITLINE M20 profile


Available Colours




420 20 10 00 SPM20 - PROFILE 1m



420 20 20 00 SPM20 - PROFILE 2m



420 20 30 00 SPM20 - PROFILE 3m



23301 0000 SPM20 - PROFILE B



Notes: