





## M26L - MULTINOVA 30 TW 930 DIM5 B

27944 9005 B

AVAILABLE IN  
**BLACK** 27944 9005 B  
**GOLD COLOURED** 27944 9005 CC  
**WHITE** 27944 9005 W



[View on website](#)

General info	
<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Low voltage systems Low voltage system mounted
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	1.5
<b>ADJUSTABILITY</b>	non adjustable
<b>INFORMATION</b>	INCL.PC SBL EXCL.LED POWER SUPPLY 48V-DC DALI DT8 dimming

Electrical info	
<b>ELECTRICAL</b>	48V-DC
<b>CLASS</b>	III
<b>DIM TYPE</b>	DALI
<b>ENERGY CLASS</b>	E
<b>CERTIFICATES</b>	ENEC

Lightsource info	
<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	LED cluster 9,4W / CRI>90 (R9: 63) / 2700K-6500K / 1338lm
<b>SDCM</b>	SDCM3
<b>RISKGROUP</b>	RG0
<b>LM80</b>	L70 > 60000
<b>LED TECHNICS (LIGHT SOURCE)</b>	1338lm // 9,4W // 142lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	993lm // 11W // 92lm/W

**Remarks**  
 Take a look at our **MAGNETIC PROFILES** movie

**Requirements**  
 LED POWER SUPPLY 48V-DC

# M26L - MULTINOVA 30 TW 930 DIM5 B


27944 9005 B

For detailed installation instructions, please consult the manual: [27944\\_XXX5\\_HAND.pdf](#)

## FINISH YOUR SPECIFICATION


### LED power supplies

#




**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

9




**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

22



**21012 0230** LED POWER SUPPLY 48V-DC / 100W

9



**21012 0240** LED POWER SUPPLY 48V-DC / 200W

18


# M26L - MULTINOVA 30 TW 930 DIM5 B

27944 9005 B


## COMPATIBLE COMPOSABLES

### SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)


### Available Colours




**23358 0000** SLM26L - PROFILE



**23358 0010** SLM26L - PROFILE 1m



**23358 0020** SLM26L - PROFILE 2m



**23358 0030** SLM26L - PROFILE 3m



Notes: