





## M26L - SPY 66 92718 MDL B

23278 9210 B

AVAILABLE IN  
**BLACK** 23278 9210 B  
**WHITE** 23278 9210 W



[View on website](#)

### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Low voltage systems Low voltage system mounted
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	0.6
<b>ADJUSTABILITY</b>	0° to 90° swiveling, 360° rotatable
<b>INFORMATION</b>	REFLECTOR SP-18° EXCL.LED POWER SUPPLY 48V-DC Optional REFLECTORS 30° & 45° available

### Electrical info

<b>ELECTRICAL</b>	48V-DC
<b>CLASS</b>	III
<b>DIM TYPE</b>	MDL = 1-10V or DALI or push button
<b>ENERGY CLASS</b>	E
<b>CERTIFICATES</b>	ENEC, LCA

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	LED array 25W / CRI>90 (R9: 60) / 2700K / 2688lm
<b>TM-30 VALUES</b>	rf: 89 / Rg: 100
<b>SDCM</b>	SDCM1
<b>RISKGROUP</b>	RG1
<b>LM80</b>	L90B10 > 50000
<b>LED TECHNICS (LIGHT SOURCE)</b>	2688lm // 25W // 108lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	1920lm // 29W // 67lm/W

### Remarks

Take a look at our **MAGNETIC PROFILES** movie

### Requirements

SPY 66 TUBE  
 LED POWER SUPPLY 48V-DC

### Options

DIMMABLE MODULATOR  
 Delta Light NV may revise the information and technical data at any time without notice. Version: 01/03/2025



## **M26L - SPY 66 92718 MDL B**

23278 9210 B

### **Accessories**

---

HONEYCOMB 57

For detailed installation instructions, please consult the manual: [23278\\_XXX0\\_HAND.pdf](#)

**M26L - SPY 66 92718 MDL B**

23278 9210 B

**FINISH YOUR SPECIFICATION**

**Current supply**

#



**21032 0030** SMART 48 MODULATOR PLUG-IN WD

6

**SMART 48**

#



**300 90 011** SMART 48 MODULATOR DIM9

6



**300 90 012** SMART 48 MODULATOR WD

6


**LED power supplies**

#




**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

3




**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

8



**21012 0230** LED POWER SUPPLY 48V-DC / 100W

3



**21012 0240** LED POWER SUPPLY 48V-DC / 200W


7

**M26L - SPY 66 92718 MDL B**

23278 9210 B

**Light altering devices**


---



**24611 0150 B** HONEYCOMB 57 SINGLE USE B

**Finish your product**

---



**24611 0100 B** SPY 66 TUBE B

**24611 0100 FBR** SPY 66 TUBE FBR

**24611 0100 FG** SPY 66 TUBE FG

**24611 0100 GC** SPY 66 TUBE GC

**24611 0100 W** SPY 66 TUBE W

**Replaceable reflector / lens**

---



**24611 0220** SPY 66 REFLECTOR 18°



**24611 0230** SPY 66 REFLECTOR 30°



**24611 0240** SPY 66 REFLECTOR 45°


# M26L - SPY 66 92718 MDL B

23278 9210 B


## COMPATIBLE COMPOSABLES

### SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)


### Available Colours




**23358 0000** SLM26L - PROFILE



**23358 0010** SLM26L - PROFILE 1m



**23358 0020** SLM26L - PROFILE 2m



**23358 0030** SLM26L - PROFILE 3m



Notes: