




MINI DEEP RINGO II OK 92718 B
 19425 9210 B

AVAILABLE IN
BLACK 19425 9210 B
BRUSHED ALU 19425 9210 BRA
BRUSHED ANTHRACITE 19425 9210 BRAT
BRUSHED COPPER 19425 9210 BRCU
BRUSHED GOLD 19425 9210 BRG
BRUSHED OLD BRONZE 19425 9210 BROB
FLEMISH BRONZE 19425 9210 FBR
FLEMISH GOLD 19425 9210 FG
WHITE 19425 9210 W




[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 71
RECESSED DEPTH (MM)	80
THICKNESS OF MOUNTING SURFACE (MM)	min.5
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.2
ADJUSTABILITY	0° to 30° swiveling, 360° rotatable
INFORMATION	REFLECTOR SP-18° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 702-974lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	974lm // 8,6W // 113lm/W
LED TECHNICS (LUMINAIRE)	674lm // 10W // 68lm/W

Requirements
LED POWER SUPPLY 350 / 500mA-DC DIM

MINI DEEP RINGO II OK 92718 B
19425 9210 B

For detailed installation instructions, please consult the manual: [19425_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Concrete	-
 Concrete + plaster	-
 Lintel + plaster	-
 Hollow-core slab	-
 Hollow-core slab + plaster	-
 Stretched ceiling	-

MINI DEEP RINGO II OK 92718 B

19425 9210 B

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B

☐










21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

☐













MINI DEEP RINGO II OK 92718 B

19425 9210 B

LED power supplies			#
	300 90 63	LED POWER SUPPLY MULTI-POWER DIM9	1->4(4) / 1->4(3) ☐
	300 90 68	LED POWER SUPPLY MULTI-POWER DIM5	1->2(2) / 1->2(1) ☐
	300 90 69	LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6) / 1->6(4) ☐
	300 90 124	LED POWER SUPPLY MULTI-POWER DIM7	1->2(2) / 1->2(1) ☐
	300 90 125	LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(2) / 1->2(1) ☐
	21012 0010	LED POWER SUPPLY MULTI POWER	1->2 / 1->2 ☐
	21012 0021	LED POWER SUPPLY MULTI POWER DIM1	1->3 / 1->3 ☐
	21012 0035	LED POWER SUPPLY MULTI POWER DIM5	1->3 / 1->3 ☐
	21012 005W	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->3 / 1->3 ☐


MINI DEEP RINGO II OK 92718 B

19425 9210 B

	21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	1 ☐
	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	2->2 ☐
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	1 ☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	2->2 ☐
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1->2 / 1->2 ☐
	21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8	1 ☐
	21012 0318 LED POWER SUPPLY 500mA / 10W DIM8	1 ☐
	21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68	1 -> 2(2) ☐
	21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68	1 -> 2(1) ☐
	21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1->2 ☐

MINI DEEP RINGO II OK 92718 B

19425 9210 B



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2



Notes: