



SOLI - 52 SHHH NLT 982720 B



27182 7220 B

AVAILABLE IN

BLACK 27182 7220 B

GOLD COLOURED 27182 7220 GC

WHITE 27182 7220 W



 [View on website](#)



General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 90° swiveling, 360° rotatable
INFORMATION	REFLECTOR FL-20° EXCL.LED POWER SUPPLY 600mA-DC NLT = Natural Light Technology Optional REFLECTORS 30° & 45° available

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 10,7W / CRI>98 (R9: 96) / 2700K / 967lm
TM-30 VALUES	rf: 97 / Rg: 102
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	967lm // 10,7W // 91lm/W
LED TECHNICS (LUMINAIRE)	606lm // 12W // 49lm/W

Requirements

SPY 52 TUBE

Accessories

HONEYCOMB 42
SPREAD LENS 42
LINEAR SPREAD LENS 42
SOFTENING LENS 42
GLASS SBL 42



SOLI - 52 SHHH NLT 982720 B


27182 7220 B

For detailed installation instructions, please consult the manual: [**27182_XXX0_HAND.pdf**](#)


SOLI - 52 SHHH NLT 982720 B
27182 7220 B

FINISH YOUR SPECIFICATION


Light altering devices



19810 0010 B HONEYCOMB 42 SINGLE USE B

☐


19810 0020 LINEAR SPREAD LENS 42

☐


19810 0030 SPREAD LENS 42

☐

19810 0040 SOFTENING LENS 42

☐

19810 0050 GLASS SBL 42

☐

19810 0060 B HONEYCOMB 42 DOUBLE USE B



☐

SOLI - 52 SHHH NLT 982720 B
27182 7220 B

Finish your product










 40 Ø49	19810 0100 B SPY 52 TUBE B	☐
	19810 0100 FBR SPY 52 TUBE FBR	☐
	19810 0100 FG SPY 52 TUBE FG	☐
	19810 0100 GC SPY 52 TUBE GC	☐
	19810 0100 W SPY 52 TUBE W	☐

Replaceable reflector / lens











 18 Ø45	19810 0180 SPY 52 REFLECTOR 20°	☐
 18 Ø45	19810 0190 SPY 52 REFLECTOR 45°	☐
 18 Ø45	19810 0240 SPY 52 REFLECTOR 30°	☐

SOLI - 52 SHHH NLT 982720 B
27182 7220 B


COMPATIBLE COMPOSABLES

SOLISCAPE - SHHH PLUS		Available Colours
 21413 0005 SOLI - SHHH PLUS 60/4 SCARLET DIM5		
 21414 0005 SOLI - SHHH PLUS 60/4 SAND DIM5		
 21415 0005 SOLI - SHHH PLUS 60/4 LILAC DIM5		
 21416 0005 SOLI - SHHH PLUS 60/4 ARCTIC DIM5		
 21417 0005 SOLI - SHHH PLUS 90/4 SCARLET DIM5		
 21418 0005 SOLI - SHHH PLUS 90/4 SAND DIM5		
 21419 0005 SOLI - SHHH PLUS 90/4 LILAC DIM5		
 21420 0005 SOLI - SHHH PLUS 90/4 ARCTIC DIM5		
 21421 0005 SOLI - SHHH PLUS 120/4 SCARLET DIM5		

SOLI - 52 SHHH NLT 982720 B
27182 7220 B


	21422 0005 SOLI - SHHH PLUS 120/4 SAND DIM5	
	21423 0005 SOLI - SHHH PLUS 120/4 LILAC DIM5	
	21424 0005 SOLI - SHHH PLUS 120/4 ARCTIC DIM5	
	21425 0005 SOLI - SHHH PLUS 120/8 SCARLET DIM5	
	21426 0005 SOLI - SHHH PLUS 120/8 SAND DIM5	
	21427 0005 SOLI - SHHH PLUS 120/8 LILAC DIM5	
	21428 0005 SOLI - SHHH PLUS 120/8 ARCTIC DIM5	
	27173 0005 SOLI - SHHH PLUS 60/4 LIGHT GREY DIM5	
	27174 0005 SOLI - SHHH PLUS 60/4 DARK GREY DIM5	
	27175 0005 SOLI - SHHH PLUS 90/4 LIGHT GREY DIM5	

SOLI - 52 SHHH NLT 982720 B
27182 7220 B




27176 0005 SOLI - SHHH PLUS 90/4 DARK GREY DIM5






27177 0005 SOLI - SHHH PLUS 120/4 LIGHT GREY DIM5






27178 0005 SOLI - SHHH PLUS 120/4 DARK GREY DIM5





27179 0005 SOLI - SHHH PLUS 120/8 LIGHT GREY DIM5





27180 0005 SOLI - SHHH PLUS 120/8 DARK GREY DIM5



Notes: