



SPY 52 CLIP 92745 FBR-B

19820 9230 FBR-B

AVAILABLE IN

BLACK-BLACK 19820 9230 B-B



FLEMISH BRONZE-BLACK 19820 9230 FBR-B

FLEMISH GOLD-BLACK 19820 9230 FG-B

FULL WHITE 19820 9230 FW

GOLD COLORED-BLACK 19820 9230 GC-B

WHITE-WHITE 19820 9230 W-W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed,Ceiling Surface mounted
CUTOUT SHAPE/SIZE (MM)	round - 51
RECESSED DEPTH (MM)	40
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 90° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° EXCL.LED POWER SUPPLY 350-700mA-DC Optional REFLECTORS 20° & 30° available

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, LCA

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-12,4W / CRI>90 (R9: 60) / 2700K / 753-1403lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1403lm // 12,4W // 113lm/W
LED TECHNICS (LUMINAIRE)	898lm // 14W // 63lm/W

Requirements

SPY 52 TUBE
LED POWER SUPPLY 350 / 500 / 700mA-DC DIM

Options

MOUNTING KIT FLUSH SPY
Delta Light NV may revise the information and technical data at any time without notice. Version: 14/03/2025

SPY 52 CLIP 92745 FBR-B

















19820 9230 FBR-B

Accessories

HONEYCOMB 42
 SPREAD LENS 42
 LINEAR SPREAD LENS 42
 SOFTENING LENS 42
 GLASS SBL 42

For detailed installation instructions, please consult the manual: [19820_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT FLUSH SPY	Required
 Plasterboard	 MOUNTING KIT FLUSH SPY	Required
 Stucanet	 MOUNTING KIT FLUSH SPY	Required
 Wood	-	
 Concrete	-	
 Concrete + plaster	 MOUNTING KIT FLUSH SPY	Required
 Lintel + plaster	 MOUNTING KIT FLUSH SPY	Required
 Hollow-core slab	-	
 Hollow-core slab + plaster	 MOUNTING KIT FLUSH SPY	Required
 Stretched ceiling	-	


SPY 52 CLIP 92745 FBR-B

19820 9230 FBR-B

FINISH YOUR SPECIFICATION


LED power supplies

#




300 90 63 LED POWER SUPPLY MULTI-POWER DIM9

1->4(4) / 1->4(4) / 1->4(3)



300 90 68 LED POWER SUPPLY MULTI-POWER DIM5

1->2(2) / 1->2(1) / 1->2(1)



300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9

2->6(6) / 1->6(4) / 1->4(3)




300 90 124 LED POWER SUPPLY MULTI-POWER DIM7

1->2(2) / 1->2(1) / 1(1)




300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5

1->2(2) / 1->2(1) / 1(1)




21012 0010 LED POWER SUPPLY MULTI POWER

1->2 / 1->2 / 1->2




21012 0021 LED POWER SUPPLY MULTI POWER DIM1

1->3 / 1->2 / 1->2



21012 0035 LED POWER SUPPLY MULTI POWER DIM5

1->3 / 1->2 / 1->2




21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL

1->3 / 1->2 / 1->2


SPY 52 CLIP 92745 FBR-B

19820 9230 FBR-B




21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

2->2 / 2->2




21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1/1




21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2 / 2->2




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1->2 / 1->2 / 1->1




21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8

1




21012 0318 LED POWER SUPPLY 500mA / 10W DIM8

1




21012 0328 LED POWER SUPPLY 700mA / 15W DIM8

1




21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68

1-2(2)



21012 0490 LED POWER SUPPLY 700mA-DC / 30W IP68

1-2(1)




21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68

1-2(1)


SPY 52 CLIP 92745 FBR-B

19820 9230 FBR-B




21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1->2



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5


1->2



21032 0315 LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5

1->2

Mounting kits




414 90 01 MOUNTING KIT FLUSH SPY


SPY 52 CLIP 92745 FBR-B

19820 9230 FBR-B


Light altering devices



19810 0010 B HONEYCOMB 42 SINGLE USE B




19810 0020 LINEAR SPREAD LENS 42




19810 0030 SPREAD LENS 42



19810 0040 SOFTENING LENS 42



19810 0050 GLASS SBL 42



19810 0060 B HONEYCOMB 42 DOUBLE USE B

SPY 52 CLIP 92745 FBR-B

19820 9230 FBR-B

Finish your product



19810 0100 B SPY 52 TUBE B


19810 0100 FBR SPY 52 TUBE FBR

19810 0100 FG SPY 52 TUBE FG


19810 0100 GC SPY 52 TUBE GC

19810 0100 W SPY 52 TUBE W

Replaceable reflector / lens



19810 0180 SPY 52 REFLECTOR 20°



19810 0190 SPY 52 REFLECTOR 45°



19810 0240 SPY 52 REFLECTOR 30°

Notes: