





SUPERLOOP-SPY 52 93045 MDL B

20567 9330 B

AVAILABLE IN
BLACK 20567 9330 B
FLEMISH BRONZE 20567 9330 FBR
FLEMISH GOLD 20567 9330 FG
GOLD COLOURED 20567 9330 GC
WHITE 20567 9330 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 90° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° INCL.CLIP 48V ADAPTER EXCL.LED POWER SUPPLY 48V-DC Optional REFLECTORS 20° & 30° available

Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	MDL = 1-10V or DALI or push button
ENERGY CLASS	D
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 8,6W / CRI>90 (R9: 52) / 3000K / 1089lm
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1089lm // 8,6W // 127lm/W
LED TECHNICS (LUMINAIRE)	697lm // 10W // 70lm/W

Requirements

SPY 52 TUBE
LED POWER SUPPLY 48V-DC

Options

DIMMABLE MODULATOR

SUPERLOOP-SPY 52 93045 MDL B

20567 9330 B

Accessories

HONEYCOMB 42

SPREAD LENS 42

LINEAR SPREAD LENS 42

SOFTENING LENS 42

GLASS SBL 42


For detailed installation instructions, please consult the manual: [20567_XXX0_HAND.pdf](#)

SUPERLOOP-SPY 52 93045 MDL B

20567 9330 B


FINISH YOUR SPECIFICATION

SMART 48 #



300 90 011 SMART 48 MODULATOR DIM9


19 ☐



300 90 012 SMART 48 MODULATOR WD


19 ☐

LED power supplies #




300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN

10 ☐




300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN

24 ☐



21012 0230 LED POWER SUPPLY 48V-DC / 100W

10 ☐



21012 0240 LED POWER SUPPLY 48V-DC / 200W






20 ☐

 DELTALIGHT®

SUPERLOOP-SPY 52 93045 MDL B

20567 9330 B

Light altering devices

	19810 0010 B HONEYCOMB 42 SINGLE USE B	☐
	19810 0020 LINEAR SPREAD LENS 42	☐
	19810 0030 SPREAD LENS 42	☐
	19810 0040 SOFTENING LENS 42	☐
	19810 0050 GLASS SBL 42	☐
	19810 0060 B HONEYCOMB 42 DOUBLE USE B	☐



SUPERLOOP-SPY 52 93045 MDL B

20567 9330 B

Finish your product





 40 19810 0100 B SPY 52 TUBE B	☐
19810 0100 FBR SPY 52 TUBE FBR	☐
19810 0100 FG SPY 52 TUBE FG	☐
19810 0100 GC SPY 52 TUBE GC	☐
19810 0100 W SPY 52 TUBE W	☐

Replaceable reflector / lens

 18 19810 0180 SPY 52 REFLECTOR 20°	☐
 18 19810 0190 SPY 52 REFLECTOR 45°	☐
 18 19810 0240 SPY 52 REFLECTOR 30°	☐

SUPERLOOP-SPY 52 93045 MDL B
 20567 9330 B

COMPATIBLE COMPOSABLES


SUPERLOOP HC MDL	Available Colours
 418 481 07 SUPERLOOP HC 70 MDL	
 418 481 09 SUPERLOOP HC 90 MDL	
 418 481 12 SUPERLOOP HC 120 MDL	
 418 481 17 SUPERLOOP HC 170 MDL	

SUPERLOOP-SPY 52 93045 MDL B

20567 9330 B

SUPERLOOP HC MDL XL

Available Colours




20555 0000 SUPERLOOP HC 200 MDL






20556 0000 SUPERLOOP HC 250 MDL






20557 0000 SUPERLOOP HC 300 MDL





20558 0000 SUPERLOOP HC 350 MDL





20559 0000 SUPERLOOP HC 400 MDL






20560 0000 SUPERLOOP HC 500 MDL




SUPERLOOP PLUS MDL

Available Colours




20564 0000 SUPERLOOP PLUS HC 70 MDL





20565 0000 SUPERLOOP PLUS HC 90 MDL









20566 0000 SUPERLOOP PLUS HC 120 MDL



SUPERLOOP-SPY 52 93045 MDL B

20567 9330 B

SUPERLOOP S HC MDL		Available Colours
	418 482 106 SUPERLOOP S HC 106 MDL	
	418 482 109 SUPERLOOP S HC 109 MDL	
	418 482 211 SUPERLOOP S HC 211 MDL	
	418 482 217 SUPERLOOP S HC 217 MDL	

Notes: