





SUPERNOVA FLAT 95 930 B

20635 9300 B

AVAILABLE IN

BLACK 20635 9300 B

WHITE 20635 9300 W



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Surface mounted,Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	15,1
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL INCL.ADJUSTABLE LED POWER SUPPLY - 3 settings: 1- 2800mA 2- 1860mA 3- 1300mA

Electrical info

ELECTRICAL	220-240V / 0 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	non-dimmable
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, RCM

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	@ 2800: LED cluster 123,7W / CRI>90 (R9: 68) / 3000K / 16507lm Or @ 1860: LED cluster 79,4W / CRI>90 (R9: 68) / 3000K / 11477lm Or @ 1300: LED cluster 54,2W / CRI>90 (R9: 68) / 3000K / 8273lm
TM-30 VALUES	Rf: 89 / Rg: 97 @ 1860: rf: 89 / Rg: 97 @ 1300: rf: 89 / Rg: 97
SDCM	SDCM3
RISKGROUP	RG0
LM80	L70 > 60000
LED TECHNICS (LIGHT SOURCE)	@ 2800: 16507lm // 123,7W // 133lm/W Or @ 1860: 11477lm // 79,4W // 144lm/W Or @ 1300: 8273lm // 54,2W // 153lm/W
LED TECHNICS (LUMINAIRE)	@ 2800: 12659lm // 142W // 89lm/W Or @ 1860: 8802lm // 91W // 96lm/W Or @ 1300: 6345lm // 62W // 102lm/W

SUPERNOVA FLAT 95 930 B

20635 9300 B

Options

SUSPENSION SET 25 3m

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m

CENTRAL SUSPENSION SUPERNOVA FLAT


For detailed installation instructions, please consult the manual: [20635_XXX0_HAND.pdf](#)

SUPERNOVA FLAT 95 930 B

20635 9300 B

FINISH YOUR SPECIFICATION

Current supply



41 **203 99 55 ANO** CABLE BASE R ANO

☐

203 99 55 B CABLE BASE R B

☐

203 99 55 W CABLE BASE R W

☐

41 **203 99 56 ANO** CABLE BASE S ANO

☐


203 99 56 B CABLE BASE S B

☐

203 99 56 W CABLE BASE S W

☐

Coversets



204 00 100 B COVERSET R 100 B

☐




204 00 100 W COVERSET R 100 W

☐

SUPERNOVA FLAT 95 930 B

20635 9300 B

Suspension parts

	274 97 10 B CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m B	☐
	274 97 10 W CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m W	☐
	328 25 43 SUSPENSION SET 25 3m	☐
	328 26 23 B CENTRAL SUSPENSION SUPERNOVA FLAT 3m B	☐
	328 26 23 W CENTRAL SUSPENSION SUPERNOVA FLAT 3m W	☐

Electric connection parts

	15225 0360 B CONNECTION ST B	☐
	15225 0360 W CONNECTION ST W	☐

Notes: