




TRACK 1F ON 3m B

27600 0030 B

AVAILABLE IN
BLACK 27600 0030 B
WHITE 27600 0030 W



 [View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Surface mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	1.4

Electrical info

CLASS	I
--------------	---

Remarks

White = RAL9010

Options

TRACK OPTIONS


For detailed installation instructions, please consult the manual: [27600_XXXX_HAND.pdf](#)

TRACK 1F ON 3m B

27600 0030 B


TRACK PARTS

Track profiles



27600 0020 B TRACK 1F ON 2m B


27600 0020 W TRACK 1F ON 2m W



27600 0030 B TRACK 1F ON 3m B


27600 0030 W TRACK 1F ON 3m W

Track parts




27600 0210 B TRACK 1F ON CORNER 180° B

27600 0210 W TRACK 1F ON CORNER 180° W




27600 0340 B TRACK 1F ON CORNER 90° IN B

27600 0340 W TRACK 1F ON CORNER 90° IN W



27600 0350 B TRACK 1F ON CORNER 90° OUT B

27600 0350 W TRACK 1F ON CORNER 90° OUT W




27600 0410 B TRACK 1F ON END CAP B

27600 0410 W TRACK 1F ON END CAP W

TRACK 1F ON 3m B


27600 0030 B

Current supply




27600 0110 B TRACK 1F ON END SUPPLY 11 B

27600 0110 W TRACK 1F ON END SUPPLY 11 W



27600 0120 B TRACK 1F ON END SUPPLY 12 B

27600 0120 W TRACK 1F ON END SUPPLY 12 W



27600 0140 B TRACK 1F ON MIDDLE SUPPLY B

27600 0140 W TRACK 1F ON MIDDLE SUPPLY W

