




TRACK 1F ON 3m W
 27600 0030 W

AVAILABLE IN
BLACK 27600 0030 B
WHITE 27600 0030 W




[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Surface mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	1.4

Electrical info

CLASS	I
--------------	---

Remarks

White = RAL9010

Options

TRACK OPTIONS


For detailed installation instructions, please consult the manual: [27600_XXXX_HAND.pdf](#)

TRACK 1F ON 3m W

27600 0030 W

TRACK PARTS


Track profiles



27600 0020 B TRACK 1F ON 2m B

☐

27600 0020 W TRACK 1F ON 2m W

☐


27600 0030 B TRACK 1F ON 3m B

☐

27600 0030 W TRACK 1F ON 3m W

☐


Track parts



27600 0210 B TRACK 1F ON CORNER 180° B

☐


27600 0210 W TRACK 1F ON CORNER 180° W

☐

27600 0340 B TRACK 1F ON CORNER 90° IN B

☐


27600 0340 W TRACK 1F ON CORNER 90° IN W

☐

27600 0350 B TRACK 1F ON CORNER 90° OUT B

☐

27600 0350 W TRACK 1F ON CORNER 90° OUT W

☐

27600 0410 B TRACK 1F ON END CAP B




☐

27600 0410 W TRACK 1F ON END CAP W

☐

TRACK 1F ON 3m W
 27600 0030 W

Current supply

	27600 0110 B TRACK 1F ON END SUPPLY 11 B	☐
	27600 0110 W TRACK 1F ON END SUPPLY 11 W	☐
	27600 0120 B TRACK 1F ON END SUPPLY 12 B	☐
	27600 0120 W TRACK 1F ON END SUPPLY 12 W	☐
	27600 0140 B TRACK 1F ON MIDDLE SUPPLY B	☐
	27600 0140 W TRACK 1F ON MIDDLE SUPPLY W	☐

