





TOUPE AC 927 ADM1F DIM8 B
100062 9208 B

AVAILABLE IN
BLACK 100062 9208 B
WHITE 100062 9208 W



 [View on website](#)

General info

LOCATION	indoor
INSTALLATION	Mains voltage track Mains voltage track mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.6
ADJUSTABILITY	non adjustable
INFORMATION	INCL 1 x CABLE 3 x 0.75mm ² 1,6m EXCL. TOUPE SHADE

Electrical info

ELECTRICAL	230V / 50-60Hz
CLASS	I
DIM TYPE	mains (phase cut-off)
ENERGY CLASS	G

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	AC LED array 8W / CRI>90 (R9: 55) / 2700K / 597lm
TM-30 VALUES	rf: 92 / Rg: 98
SDCM	SDCM3
RISKGROUP	RG1
LM80	L80B10 > 67000
LED TECHNICS (LIGHT SOURCE)	597lm // 8W // 75lm/W
LED TECHNICS (LUMINAIRE)	429lm // 8W // 54lm/W

Requirements

TOUPE SHADE

Options

CABLE CLAMP


TOUPE AC 927 ADM1F DIM8 B

100062 9208 B

For detailed installation instructions, please consult the manual: [100062_XXX8_HAND.pdf](#)

FINISH YOUR SPECIFICATION

Suspension parts



15229 0010 B CABLE CLAMP B

☐

Finish your product




28700 0010 B TOUPE SHADE S B

☐

28700 0010 W TOUPE SHADE S W

☐




28700 0020 B TOUPE SHADE M B

☐

28700 0020 W TOUPE SHADE M W

☐



28700 0030 B TOUPE SHADE L B

☐

28700 0030 W TOUPE SHADE L W

☐

TOUPE AC 927 ADM1F DIM8 B

100062 9208 B

COMPATIBLE TRACKS

TRACK 1F ON	Available Colours	
27600 0020 TRACK 1F ON 2m	2000 m 1 kg	 
27600 0030 TRACK 1F ON 3m	3000 m 1.4 kg	 

Notes: