



ENTERO RD-S TRIMLESS IP TW 96520 B

28452 9020 B



AVAILABLE IN

BLACK 28452 9020 B

FULL WHITE 28452 9020 FW

GOLD COLOURED 28452 9020 GC

WHITE 28452 9020 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	115
INGRESS PROTECTION	IP44
WEIGHT (KG)	0.245
ADJUSTABILITY	0° to 20° swiveling, 355° rotatable
INFORMATION	REFLECTOR FL-20° EXCL.LED POWER SUPPLY 500mA-DC TW - (DALI DT8)

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 9W / CRI>90 (R9: 50) / 2700K-6500K / 1087lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1087lm // 9W // 121lm/W
LED TECHNICS (LUMINAIRE)	692lm // 10W // 67lm/W

Requirements

MOUNTING KIT ENTERO ROUND S

MOUNTING KIT AIR 105

LED POWER SUPPLY 500mA-DC TW (Remote)

ENTERO RD-S TRIMLESS IP TW 96520 B

28452 9020 B

For detailed installation instructions, please consult the manual: [28452_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Plasterboard	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Stucanet	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Wood	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT ENTERO RD-S O.F.A.	Required
 Stretched ceiling	 MOUNTING KIT ENTERO RD-S CSC	Required
	 MOUNTING KIT ENTERO RD-S WSC	Required
 Ventilation in plasterboard	 MOUNTING KIT SIDE AIR ONLY 1	Required
	 MOUNTING KIT SIDE AIR 105	Required
	 MOUNTING KIT NO AIR 105	Required
 Ventilation in concrete + plaster	 MOUNTING KIT NO AIR 105	Required
	 MOUNTING KIT TOP AIR ONLY 1	Required


ENTERO RD-S TRIMLESS IP TW 96520 B

28452 9020 B

FINISH YOUR SPECIFICATION

LED power supplies

#



21012 0355 LED POWER SUPPLY 500mA-DC 2CH TW DIM5

1->2

☐

Mounting kits




28400 0010 MOUNTING KIT ENTERO RD-S O.F.A.

☐


28500 0220 MOUNTING KIT DEEP ENTERO RD-S TRIMLESS

☐

Mounting kits stretched ceiling




28400 0070 MOUNTING KIT ENTERO RD-S CSC

☐


28400 0130 MOUNTING KIT ENTERO RD-S WSC

☐

Mounting kits side air + light




29810 0110 MOUNTING KIT SIDE AIR 105

☐

ENTERO RD-S TRIMLESS IP TW 96520 B

28452 9020 B

Mounting kits side air only




29810 0100

MOUNTING KIT SIDE AIR ONLY 1

☐

Mounting kits top air only




29810 0200

MOUNTING KIT TOP AIR ONLY 1

☐

Mounting kits no air




29810 0120

MOUNTING KIT NO AIR 105

☐

Replaceable reflector / lens



19810 0180

SPY 52 REFLECTOR 20°

☐



19810 0190

SPY 52 REFLECTOR 45°

☐



19810 0240

SPY 52 REFLECTOR 30°

☐



ENTERO RD-S TRIMLESS IP TW 96520 B

28452 9020 B

Notes: