



ENTERO RD-S IP 92720 B

28406 9220 B



AVAILABLE IN

BLACK 28406 9220 B

FULL WHITE 28406 9220 FW

GOLD COLOURED 28406 9220 GC

WHITE 28406 9220 W



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 76
RECESSED DEPTH (MM)	115
THICKNESS OF MOUNTING SURFACE (MM)	max.16
INGRESS PROTECTION	IP44
WEIGHT (KG)	0.245
ADJUSTABILITY	0° to 20° swiveling, 355° rotatable
INFORMATION	REFLECTOR FL-20° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 753-1041lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUPE	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1041lm // 8,6W // 121lm/W
LED TECHNICS (LUMINAIRE)	663lm // 10W // 67lm/W

Requirements

LED POWER SUPPLY 350 / 500mA-DC DIM

Options

ENTERO RD-S MOUNTING SET S2


ENTERO RD-S IP 92720 B

28406 9220 B

For detailed installation instructions, please consult the manual: [28406_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Concrete	 ENTERO RD-S MOUNTING SET S2 Required
 Concrete + plaster	 ENTERO RD-S MOUNTING SET S2 Required
 Lintel + plaster	 ENTERO RD-S MOUNTING SET S2 Required
 Hollow-core slab	 ENTERO RD-S MOUNTING SET S2 Required
 Hollow-core slab + plaster	 ENTERO RD-S MOUNTING SET S2 Required
 Stretched ceiling	-












9

7


ENTERO RD-S IP 92720 B

28406 9220 B

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->4(4) / 1->4(4)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->2(2) / 1->2(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6) / 1->6(4)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1->2(2) / 1->2(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(2) / 1->2(1)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	1->2 / 1->2	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1->3 / 1->2	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1->3 / 1->2	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->3 / 1->2	☐


ENTERO RD-S IP 92720 B

28406 9220 B




21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

2->2 / 2->2

☐



21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1

☐



21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2

☐



21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1->2 / 1->2

☐



21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8

1

☐



21012 0318 LED POWER SUPPLY 500mA / 10W DIM8

1

☐



21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68

1-2(2)

☐



21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68

1-2(1)

☐


21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1->2

☐



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2


☐

ENTERO RD-S IP 92720 B
28406 9220 B


Replaceable reflector / lens



19810 0180 SPY 52 REFLECTOR 20°

☐

19810 0190 SPY 52 REFLECTOR 45°

☐

19810 0240 SPY 52 REFLECTOR 30°

☐

Mounting set S2



28500 0190 ENTERO RD-S MOUNTING SET S2

☐

Notes: