



ENTERO RD-M TRIMLESS TW 96518 B

28432 9010 B



AVAILABLE IN

BLACK 28432 9010 B

FULL WHITE 28432 9010 FW

GOLD COLOURED 28432 9010 GC

WHITE 28432 9010 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	135
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 30° swiveling, 355° rotatable
INFORMATION	REFLECTOR SP-18° EXCL. LED POWER SUPPLY 500mA-DC TW - (DALI DT8) Optional REFLECTORS 30° & 45° available
Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, EPD
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 9W / CRI>90 (R9: 50) / 2700K-6500K / 1087lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1087lm // 9W // 121lm/W
LED TECHNICS (LUMINAIRE)	799lm // 10W // 77lm/W

Requirements

MOUNTING KIT ENTERO ROUND M

LED POWER SUPPLY 500mA-DC TW (Remote)

ENTERO RD-M TRIMLESS TW 96518 B

28432 9010 B

Accessories

- ENTERO M HONEYCOMB
- ENTERO M LINEAR SPREAD LENS
- ENTERO M SPREAD LENS
- ENTERO M SOFTENING LENS
- ENTERO M GLASS SBL

For detailed installation instructions, please consult the manual: [28432_XXX0_HAND.pdf](#)


CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT ENTERO RD-M O.F.A.	Required
 Plasterboard	 MOUNTING KIT ENTERO RD-M O.F.A.	Required
 Stucanet	 MOUNTING KIT ENTERO RD-M O.F.A.	Required
 Wood	 MOUNTING KIT ENTERO RD-M O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT ENTERO RD-M O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT ENTERO RD-M O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT ENTERO RD-M O.F.A.	Required
 Stretched ceiling	 MOUNTING KIT ENTERO RD-M CSC	Required
	 MOUNTING KIT ENTERO RD-M WSC	Required

ENTERO RD-M TRIMLESS TW 96518 B
28432 9010 B

FINISH YOUR SPECIFICATION


LED power supplies #



21012 0355 LED POWER SUPPLY 500mA-DC 2CH TW DIM5

1->2 ☐


Mounting kits



28400 0020 MOUNTING KIT ENTERO RD-M O.F.A.

☐

Mounting kits stretched ceiling



28400 0080 MOUNTING KIT ENTERO RD-M CSC

☐



28400 0140 MOUNTING KIT ENTERO RD-M WSC







☐

⌵ DELTALIGHT®

ENTERO RD-M TRIMLESS TW 96518 B

28432 9010 B

Light altering devices

	28500 0070 ENTERO M LINEAR SPREAD LENS	☐
	28500 0080 ENTERO M SPREAD LENS	☐
	28500 0090 ENTERO M SOFTENING LENS	☐
	28500 0100 ENTERO M GLASS SBL	☐
	28500 0110 B ENTERO M HONEYCOMB SINGLE USE B	☐
	28500 0120 B ENTERO M HONEYCOMB DOUBLE USE B	☐

ENTERO RD-M TRIMLESS TW 96518 B
28432 9010 B

Replaceable reflector / lens



24611 0220 SPY 66 REFLECTOR 18°

☐



24611 0230 SPY 66 REFLECTOR 30°

☐



24611 0240 SPY 66 REFLECTOR 45°

☐

Notes: