



ENTERO SQ-M TRIMLESS TW 96518 B

28532 9010 B



AVAILABLE IN

BLACK 28532 9010 B

FULL WHITE 28532 9010 FW

GOLD COLOURED 28532 9010 GC

WHITE 28532 9010 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - Ø KIT
RECESSED DEPTH (MM)	135
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.405
ADJUSTABILITY	0° to 30° swiveling, 355° rotatable
INFORMATION	REFLECTOR SP-18° EXCL. LED POWER SUPPLY 500mA-DC TW - (DALI DT8) Optional REFLECTORS 30° & 45° available
Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, EPD
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 9W / CRI>90 (R9: 50) / 2700K-6500K / 1087lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1087lm // 9W // 121lm/W
LED TECHNICS (LUMINAIRE)	825lm // 10W // 80lm/W

Requirements

MOUNTING KIT ENTERO SQUARE M

LED POWER SUPPLY 500mA-DC TW (Remote)

ENTERO SQ-M TRIMLESS TW 96518 B
28532 9010 B

Accessories

- ENTERO M HONEYCOMB
- ENTERO M LINEAR SPREAD LENS
- ENTERO M SPREAD LENS
- ENTERO M SOFTENING LENS
- ENTERO M GLASS SBL

For detailed installation instructions, please consult the manual: [28532_XXX0_HAND.pdf](#)


CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT ENTERO SQ-M	Required
 Plasterboard	 MOUNTING KIT ENTERO SQ-M	Required
 Stucanet	 MOUNTING KIT ENTERO SQ-M	Required
 Wood	 MOUNTING KIT ENTERO SQ-M	Required
 Concrete + plaster	 MOUNTING KIT ENTERO SQ-M	Required
 Lintel + plaster	 MOUNTING KIT ENTERO SQ-M	Required
 Hollow-core slab + plaster	 MOUNTING KIT ENTERO SQ-M	Required
 Stretched ceiling	 MOUNTING KIT ENTERO SQ-M CSC	Required
	 MOUNTING KIT ENTERO SQ-M WSC	Required

ENTERO SQ-M TRIMLESS TW 96518 B
28532 9010 B

FINISH YOUR SPECIFICATION


LED power supplies #



21012 0355 LED POWER SUPPLY 500mA-DC 2CH TW DIM5

1->2 ☐


Mounting kits



28400 0050 MOUNTING KIT ENTERO SQ-M

☐

Mounting kits stretched ceiling



28400 0110 MOUNTING KIT ENTERO SQ-M CSC

☐



28400 0170 MOUNTING KIT ENTERO SQ-M WSC







☐

 DELTALIGHT®

ENTERO SQ-M TRIMLESS TW 96518 B

28532 9010 B

Light altering devices

	28500 0070	ENTERO M LINEAR SPREAD LENS	☐
	28500 0080	ENTERO M SPREAD LENS	☐
	28500 0090	ENTERO M SOFTENING LENS	☐
	28500 0100	ENTERO M GLASS SBL	☐
	28500 0110 B	ENTERO M HONEYCOMB SINGLE USE B	☐
	28500 0120 B	ENTERO M HONEYCOMB DOUBLE USE B	☐

ENTERO SQ-M TRIMLESS TW 96518 B
28532 9010 B

Replaceable reflector / lens



24611 0220 SPY 66 REFLECTOR 18°

☐

24611 0230 SPY 66 REFLECTOR 30°

☐

24611 0240 SPY 66 REFLECTOR 45°

☐

Notes: