



ENTERO SQ-M TRIMLESS IP 92718 B

28553 9210 B



AVAILABLE IN

BLACK 28553 9210 B

FULL WHITE 28553 9210 FW

GOLD COLOURED 28553 9210 GC

WHITE 28553 9210 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - Ø KIT
RECESSED DEPTH (MM)	150
INGRESS PROTECTION	IP44
WEIGHT (KG)	0.405
ADJUSTABILITY	0° to 20° swiveling, 355° rotatable
INFORMATION	REFLECTOR SP-18° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 11,6-17,2W / CRI>90 (R9: 60) / 2700K / 1458-2009lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	2009lm // 17,2W // 117lm/W
LED TECHNICS (LUMINAIRE)	1308lm // 20W // 66lm/W

Requirements

MOUNTING KIT ENTERO SQUARE M

LED POWER SUPPLY 350 / 500mA-DC DIM (Remote)


ENTERO SQ-M TRIMLESS IP 92718 B

28553 9210 B

For detailed installation instructions, please consult the manual: [28553_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT ENTERO SQ-M	Required
 Plasterboard	 MOUNTING KIT ENTERO SQ-M	Required
 Stucanet	 MOUNTING KIT ENTERO SQ-M	Required
 Wood	 MOUNTING KIT ENTERO SQ-M	Required
 Concrete + plaster	 MOUNTING KIT ENTERO SQ-M	Required
 Lintel + plaster	 MOUNTING KIT ENTERO SQ-M	Required
 Hollow-core slab + plaster	 MOUNTING KIT ENTERO SQ-M	Required
 Stretched ceiling	 MOUNTING KIT ENTERO SQ-M CSC	Required
	 MOUNTING KIT ENTERO SQ-M WSC	Required












9

7

 DELTALIGHT®


ENTERO SQ-M TRIMLESS IP 92718 B

28553 9210 B

LED power supplies			#
	300 90 63	LED POWER SUPPLY MULTI-POWER DIM9	1->2(2) / 1->2(2) ☐
	300 90 68	LED POWER SUPPLY MULTI-POWER DIM5	1(1) / 1(0) ☐
	300 90 69	LED POWER SUPPLY MULTI-POWER HV DIM9	1->3(3) / 1->3(2) ☐
	300 90 124	LED POWER SUPPLY MULTI-POWER DIM7	1(1) / 1(0) ☐
	300 90 125	LED POWER SUPPLY MULTI-POWER MINI DIM5	1(1) / 1(0) ☐
	21012 0010	LED POWER SUPPLY MULTI POWER	1 / 1 ☐
	21012 0021	LED POWER SUPPLY MULTI POWER DIM1	1 / 1 ☐
	21012 0035	LED POWER SUPPLY MULTI POWER DIM5	1 / 1 ☐
	21012 005W	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1 / 1 ☐


ENTERO SQ-M TRIMLESS IP 92718 B

28553 9210 B




21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

1 ☐




21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

1 ☐




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1/1 ☐




21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68

1(1) ☐




21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68

1(0) ☐



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5


1 ☐



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1 ☐

Mounting kits




28400 0050 MOUNTING KIT ENTERO SQ-M

☐

ENTERO SQ-M TRIMLESS IP 92718 B

28553 9210 B

Mounting kits stretched ceiling



28400 0110 MOUNTING KIT ENTERO SQ-M CSC

☐

28400 0170 MOUNTING KIT ENTERO SQ-M WSC

☐

Notes: