



ENTERO RD-M IP SOFT 93018 B

28415 9010 B



AVAILABLE IN

BLACK 28415 9010 B

FULL WHITE 28415 9010 FW

GOLD COLOURED 28415 9010 GC

WHITE 28415 9010 W



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 92
RECESSED DEPTH (MM)	145
THICKNESS OF MOUNTING SURFACE (MM)	max.16
INGRESS PROTECTION	IP44
WEIGHT (KG)	0.415
ADJUSTABILITY	0° to 20° swiveling, 355° rotatable
INFORMATION	REFLECTOR SP-18° EXCL.DIMMABLE LED POWER SUPPLY 450mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
CERTIFICATES	CB, ENEC, EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 16,1W / CRI>90 (R9: 50) / 3000K-1800K / 1618lm
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM2
RISKGROUPE	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1618lm // 16,1W // 101lm/W
LED TECHNICS (LUMINAIRE)	1079lm // 19W // 58lm/W

Requirements

LED POWER SUPPLY 450mA-DC DIM

Options

ENTERO RD-M MOUNTING SET S2

ENTERO RD-M IP SOFT 93018 B
28415 9010 B

For detailed installation instructions, please consult the manual: [28415_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Concrete	 ENTERO RD-M MOUNTING SET S2 Required
 Concrete + plaster	 ENTERO RD-M MOUNTING SET S2 Required
 Lintel + plaster	 ENTERO RD-M MOUNTING SET S2 Required
 Hollow-core slab	 ENTERO RD-M MOUNTING SET S2 Required
 Hollow-core slab + plaster	 ENTERO RD-M MOUNTING SET S2 Required
 Stretched ceiling	-

ENTERO RD-M IP SOFT 93018 B






28415 9010 B

FINISH YOUR SPECIFICATION

Emergency units


	21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B	☐
	21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W	☐

LED power supplies	#
--------------------	---

	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1(0) ☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1(0) ☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1(0) ☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1 ☐
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1 ☐

ENTERO RD-M IP SOFT 93018 B
28415 9010 B

Mounting set S2



28500 0200 ENTERO RD-M MOUNTING SET S2



Notes: