





ENTERO SQ-L TRIMLESS 92710 B

28534 9210 B

AVAILABLE IN
BLACK 28534 9210 B
FULL WHITE 28534 9210 FW
GOLD COLOURED 28534 9210 GC
WHITE 28534 9210 W



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - Ø KIT
RECESSED DEPTH (MM)	165
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.745
ADJUSTABILITY	0° to 30° swiveling, 355° rotatable
INFORMATION	LENS SP-10° EXCL.LED POWER SUPPLY 350-900mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	G
CERTIFICATES	CB, ENEC, EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 3,9-10,7W / CRI>90 (R9: 56) / 2700K / 385-814lm
TM-30 VALUES	rf: 91 / Rg: 99
SDCM	SDCM2
RISKGROUP	RG2 (threshold 0,6m)
LM80	L90B10 > 41000
LED TECHNICS (LIGHT SOURCE)	814lm // 10,7W // 76lm/W
LED TECHNICS (LUMINAIRE)	709lm // 12W // 58lm/W

Requirements

MOUNTING KIT ENTERO SQUARE L
LED POWER SUPPLY 350 / 500 / 700 / 900mA-DC DIM (Remote)

Accessories

ENTERO L HONEYCOMB

ENTERO SQ-L TRIMLESS 92710 B

28534 9210 B

For detailed installation instructions, please consult the manual: [28534_XXX0_HAND.pdf](#)










CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT ENTERO SQ-L	Required
 Plasterboard	 MOUNTING KIT ENTERO SQ-L	Required
 Stucanet	 MOUNTING KIT ENTERO SQ-L	Required
 Wood	 MOUNTING KIT ENTERO SQ-L	Required
 Concrete + plaster	 MOUNTING KIT ENTERO SQ-L	Required
 Lintel + plaster	 MOUNTING KIT ENTERO SQ-L	Required
 Hollow-core slab + plaster	 MOUNTING KIT ENTERO SQ-L	Required
 Stretched ceiling	 MOUNTING KIT ENTERO SQ-L CSC	Required
	 MOUNTING KIT ENTERO SQ-L WSC	Required

ENTERO SQ-L TRIMLESS 92710 B











28534 9210 B

FINISH YOUR SPECIFICATION

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->6(6) / 1->6(6) / 1->6(4) / 1-> 5(3)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->4(3) / 1->4(2) / 1->3(2) / 1->3(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	3->9(9) / 1->9(6) / 1->6(4)	☐
	300 90 110 LED POWER SUPPLY 350mA-DC / 10W DIM8	2 -> 2	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	2->4(3) / 3(2) / 3(2) / 2(1) / 1(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	2->4(3) / 1->3(2) / 1->3(2) / 1->2(1)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	2->3 / 2->3 / 1->3	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	2->4 / 2->4 / 1->4	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	2->4 / 2->4 / 1->4	☐


ENTERO SQ-L TRIMLESS 92710 B

28534 9210 B

	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->4 / 1->4 / 1->4 / 1->3	☐
	21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	2->2	☐
	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	3->3	☐
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	2->2 / 2->2	☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	4->4 / 3->4	☐
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1->3 / 1->3 / 1->3 / 1->2 / 1->1	☐
	21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68	1->4(3)	☐
	21012 0490 LED POWER SUPPLY 700mA-DC / 30W IP68	1->3(1)	☐
	21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68	1->4(2)	☐
	21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1->3	☐


ENTERO SQ-L TRIMLESS 92710 B

28534 9210 B



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->3




21032 0315 LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5

1->3




Mounting kits



28400 0060 MOUNTING KIT ENTERO SQ-L



Mounting kits stretched ceiling




28400 0120 MOUNTING KIT ENTERO SQ-L CSC



28400 0180 MOUNTING KIT ENTERO SQ-L WSC



Light altering devices



28500 0170 B ENTERO L HONEYCOMB SINGLE USE B





ENTERO SQ-L TRIMLESS 92710 B

28534 9210 B

Notes: