



ENTERO SQ-L TW 96518 B

28520 9010 B



AVAILABLE IN

BLACK 28520 9010 B

FULL WHITE 28520 9010 FW

GOLD COLOURED 28520 9010 GC

WHITE 28520 9010 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	square - 112 x 112
RECESSED DEPTH (MM)	160
THICKNESS OF MOUNTING SURFACE (MM)	12,5 or 25
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.68
ADJUSTABILITY	0° to 30° swiveling, 355° rotatable
INFORMATION	REFLECTOR SP-18° EXCL. LED POWER SUPPLY 500mA-DC TW - (DALI DT8) Optional REFLECTORS 30° & 45° available

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 17,8W / CRI>90 (R9: 50) / 2700K-6500K / 2054lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	2054lm // 17,8W // 116lm/W
LED TECHNICS (LUMINAIRE)	1655lm // 20W // 81lm/W

Requirements

LED POWER SUPPLY 500mA-DC TW

ENTERO SQ-L TW 96518 B
 28520 9010 B

Accessories

- ENTERO L HONEYCOMB
- ENTERO L LINEAR SPREAD LENS
- ENTERO L SPREAD LENS
- ENTERO L SOFTENING LENS
- ENTERO L GLASS SBL

For detailed installation instructions, please consult the manual: [28520_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Stretched ceiling	-

ENTERO SQ-L TW 96518 B


28520 9010 B


FINISH YOUR SPECIFICATION


LED power supplies #


	21012 0355 LED POWER SUPPLY 500mA-DC 2CH TW DIM5	1 ☐
--	---	----------------------------


Light altering devices


	28500 0130 ENTERO L LINEAR SPREAD LENS	☐
--	---	--------------------------

	28500 0140 ENTERO L SPREAD LENS	☐
--	--	--------------------------

	28500 0150 ENTERO L SOFTENING LENS	☐
--	---	--------------------------

	28500 0160 ENTERO L GLASS SBL	☐
--	--------------------------------------	--------------------------

	28500 0170 B ENTERO L HONEYCOMB SINGLE USE B	☐
--	---	--------------------------

	28500 0180 B ENTERO L HONEYCOMB DOUBLE USE B	☐
--	---	--------------------------



ENTERO SQ-L TW 96518 B

28520 9010 B

Notes: