




ENTERO RD-L X TW 96518 B
28449 9010 B

AVAILABLE IN
BLACK 28449 9010 B
FLEMISH BRONZE OUTDOOR 28449 9010 FBRX
FULL WHITE 28449 9010 FW
ANTHRACITE (DARK GREY) 28449 9010 N
WHITE 28449 9010 W



 [View on website](#)

General info	
LOCATION	outdoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 112
RECESSED DEPTH (MM)	175
THICKNESS OF MOUNTING SURFACE (MM)	max.16
INGRESS PROTECTION	IP65
PROTECTION AGAINST MECHANICAL IMPACT	IK06
WEIGHT (KG)	0.76
ADJUSTABILITY	0° to 20° swiveling, 355° rotatable
INFORMATION	REFLECTOR SP-18° EXCL.LED POWER SUPPLY 500mA-DC TW - (DALI DT8)

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, EPD

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 17,8W / CRI>90 (R9: 50) / 2700K-6500K / 2054lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	2054lm // 17,8W // 116lm/W
LED TECHNICS (LUMINAIRE)	1419lm // 20W // 69lm/W

Requirements
LED POWER SUPPLY 500mA-DC TW

Options
ENTERO RD-L MOUNTING SET S2

ENTERO RD-L X TW 96518 B

28449 9010 B

Accessories

ENTERO L HONEYCOMB
ENTERO L LINEAR SPREAD LENS
ENTERO L SPREAD LENS
ENTERO L SOFTENING LENS
ENTERO L GLASS SBL

For detailed installation instructions, please consult the manual: [28449_XXX0_HAND.pdf](#)


CEILING COMPATIBILITY

Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Concrete	 ENTERO RD-L MOUNTING SET S2 Required
 Concrete + plaster	 ENTERO RD-L MOUNTING SET S2 Required
 Lintel + plaster	 ENTERO RD-L MOUNTING SET S2 Required
 Hollow-core slab	 ENTERO RD-L MOUNTING SET S2 Required
 Hollow-core slab + plaster	 ENTERO RD-L MOUNTING SET S2 Required
 Stretched ceiling	-

ENTERO RD-L X TW 96518 B
28449 9010 B

FINISH YOUR SPECIFICATION


LED power supplies #



21012 0355 LED POWER SUPPLY 500mA-DC 2CH TW DIM5

1 ☐

Light altering devices




28500 0130 ENTERO L LINEAR SPREAD LENS

☐




28500 0140 ENTERO L SPREAD LENS

☐




28500 0150 ENTERO L SOFTENING LENS

☐



28500 0160 ENTERO L GLASS SBL


☐



28500 0170 B ENTERO L HONEYCOMB SINGLE USE B

☐

Mounting set S2



28500 0210 ENTERO RD-L MOUNTING SET S2

☐



ENTERO RD-L X TW 96518 B

28449 9010 B

Notes: