



## M26L - BOXY L A 92733 MDL B-B

10739 9220 B-B



AVAILABLE IN

**BLACK-BLACK** 10739 9220 B-B

**BLACK-FLEMISH BRONZE** 10739 9220 B-FBR

**BLACK-FLEMISH GOLD** 10739 9220 B-FG

**WHITE-WHITE** 10739 9220 W-W



[View on website](#)

### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Low voltage systems Low voltage system mounted
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	0.4
<b>ADJUSTABILITY</b>	non adjustable
<b>INFORMATION</b>	REFLECTOR FL-33° EXCL.LED POWER SUPPLY 48V-DC

### Electrical info

<b>ELECTRICAL</b>	48V-DC
<b>CLASS</b>	III
<b>DIM TYPE</b>	MDL = 1-10V or DALI or push button
<b>ENERGY CLASS</b>	E
<b>CERTIFICATES</b>	ENEC

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	LED array 8,6W / CRI>90 (R9: 60) / 2700K / 1041lm
<b>TM-30 VALUES</b>	rf: 89 / Rg: 100
<b>SDCM</b>	SDCM1
<b>RISKGROUP</b>	RG1
<b>LM80</b>	L90B10 > 50000
<b>LED TECHNICS (LIGHT SOURCE)</b>	1041lm // 8,6W // 121lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	697lm // 10W // 70lm/W

### Remarks

Take a look at our **MAGNETIC PROFILES** movie

### Requirements

LED POWER SUPPLY 48V-DC

### Options

DIMMABLE MODULATOR

Delta Light NV may revise the information and technical data at any time without notice. Version: 01/03/2025

**M26L - BOXY L A 92733 MDL B-B**

10739 9220 B-B

**Accessories**

---

BOXY HONEYCOMB

BOXY SOFTENING LENS

BOXY GLASS SBL

For detailed installation instructions, please consult the manual: [10739\\_XXX0\\_HAND.pdf](#)

**M26L - BOXY L A 92733 MDL B-B**

10739 9220 B-B

**FINISH YOUR SPECIFICATION**

**Current supply**

#



**21032 0030** SMART 48 MODULATOR PLUG-IN WD

19


**SMART 48**

#



**300 90 011** SMART 48 MODULATOR DIM9

19



**300 90 012** SMART 48 MODULATOR WD

19

**LED power supplies**

#



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

10



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

24



**21012 0230** LED POWER SUPPLY 48V-DC / 100W

10



**21012 0240** LED POWER SUPPLY 48V-DC / 200W

20

**M26L - BOXY L A 92733 MDL B-B**

10739 9220 B-B

**Light altering devices**

---



$\varnothing 40$



1.5

$\varnothing 45$

**251 70 03 01 B** BOXY HONEYCOMB B

**251 70 03 01 W** BOXY HONEYCOMB W



$\varnothing 40$



1.5

$\varnothing 45$

**251 70 03 04 B** BOXY SOFTENING LENS B

**251 70 03 04 W** BOXY SOFTENING LENS W



$\varnothing 40$



1.5

$\varnothing 45$

**251 70 03 05 B** BOXY GLASS SBL B

**251 70 03 05 W** BOXY GLASS SBL W


**M26L - BOXY L A 92733 MDL B-B**

10739 9220 B-B


**COMPATIBLE COMPOSABLES**

**SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)**


**Available Colours**




**23358 0000** SLM26L - PROFILE



**23358 0010** SLM26L - PROFILE 1m



**23358 0020** SLM26L - PROFILE 2m



**23358 0030** SLM26L - PROFILE 3m



Notes: