




D-LINER 19 SL PROFILE SET SAPP
2m B

29110 0010 B

AVAILABLE IN
BLACK 29110 0010 B



 [View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
INGRESS PROTECTION	IP20
WEIGHT (KG)	1.9
INFORMATION	L : 2m + 2 x END CAP 2 x 48V CONDUCTORS 2 DIM CONDUCTORS (For individual DALI dimming) INCL.1 x CABLE 5 x 0,75mm ² - 1m + WIELAND PLUG 4 POLE INCL.4 x SUSPENSION BRACKET SAPP

Electrical info	
CLASS	III


For detailed installation instructions, please consult the manual: [29110_0010_HAND.pdf](#)

D-LINER 19 SL PROFILE SET SAPP 2m B


29110 0010 B

COMPATIBLE PARTS


LED power supplies



300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN




21012 0230 LED POWER SUPPLY 48V-DC / 100W




21012 0240 LED POWER SUPPLY 48V-DC / 200W

SMART 48



300 90 011 SMART 48 MODULATOR DIM9




300 90 012 SMART 48 MODULATOR WD

D-LINER 19 SL PROFILE SET SAPP 2m B


29110 0010 B

COMPATIBLE LUMINAIRES

SPLITLINE 14 - SPY 20




27312 9225 SPL14 - SPY 20 92730 DIM5




27312 9325 SPL14 - SPY 20 93030 DIM5

SPLITLINE 14 - SPY 20 L




27320 9225 SPL14 - SPY 20 L 92730 DIM5




27320 9325 SPL14 - SPY 20 L 93030 DIM5

SPLITLINE 14 - SPY 27



27314 9225 SPL14 - SPY 27 92730 DIM5



27314 9325 SPL14 - SPY 27 93030 DIM5

D-LINER 19 SL PROFILE SET SAPP 2m B
29110 0010 B

SPLITLINE 14 - SPY 39



27316 9225 SPL14 - SPY 39 92720 DIM5



27316 9235 SPL14 - SPY 39 92740 DIM5



27316 9325 SPL14 - SPY 39 93020 DIM5



27316 9335 SPL14 - SPY 39 93040 DIM5



SPLITLINE 14 - SPY 39 L



27324 9225 SPL14 - SPY 39 L 92720 DIM5



27324 9235 SPL14 - SPY 39 L 92740 DIM5



27324 9325 SPL14 - SPY 39 L 93020 DIM5



27324 9335 SPL14 - SPY 39 L 93040 DIM5



Notes: