



SUPERLOOP SLIM OUT 90 SBL 930 FBR

20577 9300 FBR

AVAILABLE IN



BLACK 20577 9300 B

FLEMISH BRONZE 20577 9300 FBR

FLEMISH GOLD 20577 9300 FG

GOLD COLOURED 20577 9300 GC

WHITE 20577 9300 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	2
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL EXCL.LED POWER SUPPLY 700-900mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 2 x 0.75mm ²
Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, LCA
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 28,2-39W / CRI>90 (R9: 59) / 3000K / 3888-5160lm
SDCM	SDCM3
LM80	L70 > 30000
LED TECHNICS (LIGHT SOURCE)	5160lm // 39W // 132lm/W
LED TECHNICS (LUMINAIRE)	2285lm // 45W // 51lm/W

Requirements

LED POWER SUPPLY 700 / 900mA-DC DIM

SUPERLOOP POWERBOX L/H 700mA

SUPERLOOP POWERBOX H 900mA

SUPERLOOP SLIM OUT 90 SBL 930 FBR

20577 9300 FBR

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS



SUSPENSION ST / SUSPENSION TRIMLESS

For detailed installation instructions, please consult the manual: [20577_XXX0_HAND.pdf](#)

SUPERLOOP SLIM OUT 90 SBL 930 FBR
 20577 9300 FBR







FINISH YOUR SPECIFICATION

Current supply

	<u>203 99 55 ANO</u> CABLE BASE R ANO	☐
	<u>203 99 55 B</u> CABLE BASE R B	☐
	<u>203 99 55 W</u> CABLE BASE R W	☐
	<u>203 99 56 ANO</u> CABLE BASE S ANO	☐
	<u>203 99 56 B</u> CABLE BASE S B	☐
	<u>203 99 56 W</u> CABLE BASE S W	☐


SUPERLOOP SLIM OUT 90 SBL 930 FBR

20577 9300 FBR

Power box		#
	321 55 207 ED1 B SUPERLOOP POWERBOX L 700mA DIM1 B	1 ☐
	321 55 207 ED1 W SUPERLOOP POWERBOX L 700mA DIM1 W	1 ☐
	321 55 307 ED5 B SUPERLOOP POWERBOX H8 700mA DIM5 B	1 ☐
	321 55 307 ED5 W SUPERLOOP POWERBOX H8 700mA DIM5 W	1 ☐
	20548 0015 B SUPERLOOP POWERBOX H9 900mA DIM5 B	1 ☐
	20548 0015 W SUPERLOOP POWERBOX H9 900mA DIM5 W	1 ☐
LED power supplies		#
	300 90 128 LED POWER SUPPLY 700mA-DC / 36W DIM1	1 ☐
	300 90 129 LED POWER SUPPLY 900mA-DC / 60W DIM5	1 ☐
	300 90 131 LED POWER SUPPLY 700mA-DC / 38W DIM5	1 ☐

SUPERLOOP SLIM OUT 90 SBL 930 FBR
20577 9300 FBR

Coversets




204 00 100 B COVERSET R 100 B

☐


204 00 100 W COVERSET R 100 W

☐

Suspension parts



328 10 01 SUSPENSION TRIMLESS O.F.A.

☐


15225 0340 B SUSPENSION ST B

☐

15225 0340 W SUSPENSION ST W

☐

Electric connection parts



328 10 03 CONNECTION TRIMLESS O.F.A.

☐

15225 0360 B CONNECTION ST B

☐

15225 0360 W CONNECTION ST W

☐



SUPERLOOP SLIM OUT 90 SBL 930 FBR

20577 9300 FBR

Notes: