





iMAX II ROUND ADJUSTABLE TRIMLESS LP 92712

24214 9210-R



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	160
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 30° swiveling, 355° rotatable
INFORMATION	LENS SP-12° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 702-974lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	974lm // 8,6W // 113lm/W
LED TECHNICS (LUMINAIRE)	774lm // 10W // 78lm/W

Requirements

LED POWER SUPPLY 350 / 500mA-DC DIM (Remote)
MOUNTING KIT R102 TRIMLESS O.F.A.
iMAX II TUBE TRIMLESS

Accessories

iMAX II ACCESSOIRES

iMAX II ROUND ADJUSTABLE TRIMLESS LP 92712
24214 9210-R


For detailed installation instructions, please consult the manual: [24214_XXX0-R_HAND.pdf](#)

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Plasterboard	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Stretched ceiling	 MOUNTING KIT R102 TRIMLESS CSC	Required
	 MOUNTING KIT R102 TRIMLESS WSC	Required

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B

9










21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

7











 DELTALIGHT®

iMAX II ROUND ADJUSTABLE TRIMLESS LP 92712


24214 9210-R

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->4(4) / 1->4(3)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->2(2) / 1->2(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6) / 1->6(4)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1->2(2) / 1->2(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(2) / 1->2(1)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	1->2 / 1->2	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1->3 / 1->3	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1->3 / 1->3	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->3 / 1->3	☐

iMAX II ROUND ADJUSTABLE TRIMLESS LP 92712
24214 9210-R

	21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	1	☐
	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	2->2	☐
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	1	☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	2->2	☐
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1->2 / 1->2	☐
	21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8	1	☐
	21012 0318 LED POWER SUPPLY 500mA / 10W DIM8	1	☐
	21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68	1 -> 2(2)	☐
	21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68	1 -> 2(1)	☐
	21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1->2	☐


imax II ROUND ADJUSTABLE TRIMLESS LP 92712
24214 9210-R



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2 ☐


Mounting kits



15212 2010 MOUNTING KIT R102 TRIMLESS O.F.A.

☐

Mounting kits stretched ceiling



15212 0090 MOUNTING KIT R102 TRIMLESS CSC

☐






15212 0170 MOUNTING KIT R102 TRIMLESS WSC


☐

iMAX II ROUND ADJUSTABLE TRIMLESS LP 92712
 24214 9210-R

Light altering devices

	24213 0050 B iMAX II HONEYCOMB B	☐
	24213 0060 iMAX II GLASS SBL	☐
	24213 0070 iMAX II LINEAR SPREAD LENS	☐
	24213 0090 iMAX II SOFTENING LENS	☐
	24213 0100 iMAX II SPREAD LENS	☐

Finish your product

	24213 0020 B iMAX II TUBE ROUND TRIMLESS B	☐
	24213 0020 FG iMAX II TUBE ROUND TRIMLESS FG	☐
	24213 0020 W iMAX II TUBE ROUND TRIMLESS W	☐

Notes:



iMAX II ROUND ADJUSTABLE TRIMLESS LP 92712

24214 9210-R