






iMAX II SQUARE ADJUSTABLE TRIMLESS SOFT 93045

24231 9030-S



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - KIT
RECESSED DEPTH (MM)	160
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 30° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° EXCL.DIMMABLE LED POWER SUPPLY 350mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 11,8W / CRI>90 (R9: 50) / 3000K-1800K / 1307lm
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1307lm // 11,8W // 110lm/W
LED TECHNICS (LUMINAIRE)	769lm // 14W // 57lm/W

Requirements










LED POWER SUPPLY 350mA-DC DIM (Remote)
MOUNTING KIT S102 TRIMLESS O.F.A.
MOUNTING KIT S102 TRIMLESS
iMAX II TUBE TRIMLESS

For detailed installation instructions, please consult the manual: [24231 XXX0-S_HAND.pdf](#)


CEILING COMPATIBILITY

Ceiling Type	Mounting Kit		
 System ceiling	 MOUNTING KIT S102 TRIMLESS		Required
	 MOUNTING KIT S102 TRIMLESS O.F.A.		Required
 Plasterboard	 MOUNTING KIT S102 TRIMLESS		Required
	 MOUNTING KIT S102 TRIMLESS O.F.A.		Required
 Concrete + plaster	 MOUNTING KIT S102 TRIMLESS		Required
	 MOUNTING KIT S102 TRIMLESS O.F.A.		Required
 Lintel + plaster	 MOUNTING KIT S102 TRIMLESS		Required
	 MOUNTING KIT S102 TRIMLESS O.F.A.		Required
 Hollow-core slab + plaster	 MOUNTING KIT S102 TRIMLESS		Required
	 MOUNTING KIT S102 TRIMLESS O.F.A.		Required

FINISH YOUR SPECIFICATION


LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->2(2)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	1->3(3)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1(1)	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1	☐
	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	1	☐

iMAX II SQUARE ADJUSTABLE TRIMLESS SOFT 93045
24231 9030-S



21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8


1 ☐



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5


1 ☐

Mounting kits



400 92 00 MOUNTING KIT S102 TRIMLESS


☐



400 92 00 OFA MOUNTING KIT S102 TRIMLESS O.F.A.

☐

Finish your product



24213 0030 B iMAX II TUBE SQUARE TRIMLESS B

☐

24213 0030 FG iMAX II TUBE SQUARE TRIMLESS FG

☐

24213 0030 W iMAX II TUBE SQUARE TRIMLESS W

☐

Notes: