



SPLITBOX 2 SPY 52 SOFT 93020 B
100071 9020 B

AVAILABLE IN
BLACK 100071 9020 B
WHITE 100071 9020 W



 [View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - 275 x 150
RECESSED DEPTH (MM)	180
THICKNESS OF MOUNTING SURFACE (MM)	max.12
INGRESS PROTECTION	IP20
WEIGHT (KG)	4.8
INFORMATION	ADJUSTABLE 2 x REFLECTOR FL-20° EXCL.LED POWER SUPPLY 500mA-DC Optional REFLECTORS 30° & 45° available

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
CERTIFICATES	CB, ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	2 x (LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm)
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	2076lm // 20,4W // 109lm/W
LED TECHNICS (LUMINAIRE)	1301lm // 23W // 55lm/W

Requirements	
SPY 52 TUBE	
LED POWER SUPPLY 500mA-DC DIM	

Accessories	
HONEYCOMB 42	
SPREAD LENS 42	
LINEAR SPREAD LENS 42	
SOFTENING LENS 42	
CLASS SBL 42	

SPLITBOX 2 SPY 52 SOFT 93020 B
 100071 9020 B

For detailed installation instructions, please consult the manual: [100071_XXX0_HAND.pdf](#)










CEILING COMPATIBILITY

Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-

SPLITBOX 2 SPY 52 SOFT 93020 B





100071 9020 B

FINISH YOUR SPECIFICATION

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1(1)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1(1/2)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	2(1)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1/2(1/2)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1/2(1/2)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	1	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1	☐

SPLITBOX 2 SPY 52 SOFT 93020 B

100071 9020 B






	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	1/2 ☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	1 ☐
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1/2 ☐
	21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5	1 ☐

 DELTALIGHT[®]

SPLITBOX 2 SPY 52 SOFT 93020 B

100071 9020 B

Light altering devices

	19810 0010 B HONEYCOMB 42 SINGLE USE B	☐
	19810 0020 LINEAR SPREAD LENS 42	☐
	19810 0030 SPREAD LENS 42	☐
	19810 0040 SOFTENING LENS 42	☐
	19810 0050 GLASS SBL 42	☐
	19810 0060 B HONEYCOMB 42 DOUBLE USE B	☐



SPLITBOX 2 SPY 52 SOFT 93020 B

100071 9020 B

Finish your product

	19810 0100 B SPY 52 TUBE B	☐
	19810 0100 FBR SPY 52 TUBE FBR	☐
	19810 0100 FG SPY 52 TUBE FG	☐
	19810 0100 GC SPY 52 TUBE GC	☐
	19810 0100 W SPY 52 TUBE W	☐

Replaceable reflector / lens

	19810 0180 SPY 52 REFLECTOR 20°	☐
	19810 0190 SPY 52 REFLECTOR 45°	☐
	19810 0240 SPY 52 REFLECTOR 30°	☐

Notes: