





CARREE TRIMLESS OK SOFT 93045 B

11049 9030 B

AVAILABLE IN

BLACK 11049 9030 B

WHITE 11049 9030 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - KIT
RECESSED DEPTH (MM)	85
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 25° swiveling
INFORMATION	REFLECTOR WFL-45° EXCL.DIMMABLE LED POWER SUPPLY 500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1038lm // 10,2W // 109lm/W
LED TECHNICS (LUMINAIRE)	829lm // 12W // 71lm/W

Requirements

LED POWER SUPPLY 500mA-DC DIM (Remote)

MOUNTING KIT 75 TRIMLESS

MOUNTING KIT 75 TRIMLESS O.F.A.

CARREE TRIMLESS OK SOFT 93045 B

11049 9030 B

For detailed installation instructions, please consult the manual: [11049_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT 75 TRIMLESS	Required
 Plasterboard	 MOUNTING KIT 75 TRIMLESS	Required
 Stucanet	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT 75 TRIMLESS	Required
	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT 75 TRIMLESS O.F.A.	Required

FINISH YOUR SPECIFICATION

21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B

9










21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

7


 DELTALIGHT®

CARREE TRIMLESS OK SOFT 93045 B

11049 9030 B

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->3(3)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->2(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	1->5(3)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1(1)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	1->2	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1->2	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1->2	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2	☐

CARREE TRIMLESS OK SOFT 93045 B
 11049 9030 B




21012 0278

LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1

☐




21012 0288

LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2

☐




21012 0298

LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1

☐




21032 0305

LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2

☐

Mounting kits



202 01 75

MOUNTING KIT 75 TRIMLESS

☐



202 01 75 OFA

MOUNTING KIT 75 TRIMLESS O.F.A.

☐

Notes: