





DEEP RINGO TRIMLESS SOFT 93045
B

19436 9030 B

AVAILABLE IN
BLACK 19436 9030 B
BRUSHED ALU 19436 9030 BRA
BRUSHED ANTHRACITE 19436 9030 BRAT
BRUSHED COPPER 19436 9030 BRCU
BRUSHED GOLD 19436 9030 BRG
BRUSHED OLD BRONZE 19436 9030 BROB
FLEMISH BRONZE 19436 9030 FBR
FLEMISH GOLD 19436 9030 FG
GOLD COLOURED 19436 9030 GC
PIANO BLACK 19436 9030 PB
WHITE 19436 9030 W



 [View on website](#)

General info		
LOCATION	indoor	
INSTALLATION	Ceiling Recessed	
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT	
RECESSED DEPTH (MM)	95	
INGRESS PROTECTION	IP20	
WEIGHT (KG)	0.2	
ADJUSTABILITY	non adjustable	
INFORMATION	REFLECTOR WFL-45° EXCL.DIMMABLE LED POWER SUPPLY 500mA-DC	

Electrical info		
CLASS	III	
DIM TYPE	depending on power supply	
ENERGY CLASS	F	
CERTIFICATES	CB, ENEC	

Lightsource info		
LIGHTSOURCE NAME	LED	
LIGHTSOURCE	LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm	
SDCM	SDCM2	
RISKGROUP	RG1	
LM80	L90B10 > 50000	
LED TECHNICS (LIGHT SOURCE)	1038lm // 10,2W // 109lm/W	
LED TECHNICS (LUMINAIRE)	792lm // 12W // 68lm/W	

Requirements		
LED POWER SUPPLY 500mA-DC DIM (Remote)		
MOUNTING KIT R82 TRIMLESS O.F.A.		
MOUNTING KIT AIR 101		
Delta Light NV may revise the information and technical data at any time without notice. Version: 17/02/2025		

DEEP RINGO TRIMLESS SOFT 93045 B
19436 9030 B

For detailed installation instructions, please consult the manual: [19436_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT R82 TRIMLESS O.F.A.	Required
 Plasterboard	 MOUNTING KIT R82 TRIMLESS O.F.A.	Required
 Stucanet	 MOUNTING KIT R82 TRIMLESS O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT R82 TRIMLESS O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT R82 TRIMLESS O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT R82 TRIMLESS O.F.A.	Required
 Stretched ceiling	 MOUNTING KIT R82 TRIMLESS CSC	Required
	 MOUNTING KIT R82 TRIMLESS WSC	Required
 Ventilation in plasterboard	 MOUNTING KIT SIDE AIR 101	Required
	 MOUNTING KIT NO AIR 101	Required
	 MOUNTING KIT SIDE AIR ONLY 1	Required
 Ventilation in concrete + plaster	 MOUNTING KIT NO AIR 101	Required
	 MOUNTING KIT TOP AIR ONLY 1	Required
	 MOUNTING KIT TOP AIR 101	Required

DEEP RINGO TRIMLESS SOFT 93045 B

19436 9030 B

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B

☐










21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

☐

 DELTALIGHT®


DEEP RINGO TRIMLESS SOFT 93045 B

19436 9030 B

LED power supplies			#
	300 90 63	LED POWER SUPPLY MULTI-POWER DIM9	1->3(3) ☐
	300 90 68	LED POWER SUPPLY MULTI-POWER DIM5	1->2(1) ☐
	300 90 69	LED POWER SUPPLY MULTI-POWER HV DIM9	1->5(3) ☐
	300 90 124	LED POWER SUPPLY MULTI-POWER DIM7	1(1) ☐
	300 90 125	LED POWER SUPPLY MULTI-POWER MINI DIM5	1(1) ☐
	21012 0010	LED POWER SUPPLY MULTI POWER	1->2 ☐
	21012 0021	LED POWER SUPPLY MULTI POWER DIM1	1->2 ☐
	21012 0035	LED POWER SUPPLY MULTI POWER DIM5	1->2 ☐
	21012 005W	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2 ☐


DEEP RINGO TRIMLESS SOFT 93045 B

19436 9030 B




21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1

☐



21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2

☐


21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1


☐


21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2

☐


Mounting kits



15212 2000 MOUNTING KIT R82 TRIMLESS O.F.A.

☐

Mounting kits stretched ceiling



15212 0070 MOUNTING KIT R82 TRIMLESS CSC


☐


15212 0150 MOUNTING KIT R82 TRIMLESS WSC

☐

DEEP RINGO TRIMLESS SOFT 93045 B
19436 9030 B

Mounting kits side air + light




Technical drawing of the mounting kit side air 101. It shows a side view of a circular mounting plate with a central hole and a side air inlet. Dimensions are indicated: Ø100 (top), 149 (right), 180 (bottom left), and 205 (bottom right).

29810 0010 MOUNTING KIT SIDE AIR 101

☐

Mounting kits top air + light




Technical drawing of the mounting kit top air 101. It shows a top view of a circular mounting plate with a central hole and a top air inlet. Dimensions are indicated: Ø125 (top), 172 (right), 171 (bottom left), and 235 (bottom right).

29810 0210 MOUNTING KIT TOP AIR 101

☐

Mounting kits side air only




Technical drawing of the mounting kit side air only 1. It shows a side view of a circular mounting plate with a central hole and a side air inlet. Dimensions are indicated: Ø100 (top), 149 (right), 180 (bottom left), and 205 (bottom right).

29810 0100 MOUNTING KIT SIDE AIR ONLY 1

☐

Mounting kits top air only



Technical drawing of the mounting kit top air only 1. It shows a top view of a circular mounting plate with a central hole and a top air inlet. Dimensions are indicated: Ø125 (top), 172 (right), 171 (bottom left), and 235 (bottom right).

29810 0200 MOUNTING KIT TOP AIR ONLY 1

☐

Mounting kits no air



Technical drawing of the mounting kit no air 101. It shows a side view of a circular mounting plate with a central hole. Dimensions are indicated: Ø100 (top), 73 (right), 180 (bottom left), and 205 (bottom right).

29810 0050 MOUNTING KIT NO AIR 101

☐

DEEP RINGO TRIMLESS SOFT 93045 B

19436 9030 B

Notes: