





TWEETER M TRIMLESS SOFT 93045 B-C

21613 9030 B-C

AVAILABLE IN

BLACK-CHROMED 21613 9030 B-C

WHITE-WHITE 21613 9030 W-W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	80
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.5
ADJUSTABILITY	0° to 45° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° EXCL.DIMMABLE LED POWER SUPPLY 500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1038lm // 10,2W // 109lm/W
LED TECHNICS (LUMINAIRE)	836lm // 12W // 71lm/W

Requirements

MOUNTING KIT R102 TRIMLESS O.F.A.

LED POWER SUPPLY 500mA-DC DIM (Remote)

For detailed installation instructions, please consult the manual: [21613_XXX0_HAND.pdf](#)










TWEETER M TRIMLESS SOFT 93045 B-C
 21613 9030 B-C

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Plasterboard	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Stucanet	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Concrete + plaster	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Lintel + plaster	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Hollow-core slab + plaster	 MOUNTING KIT R102 TRIMLESS O.F.A.	Required
 Stretched ceiling	 MOUNTING KIT R102 TRIMLESS CSC	Required
	 MOUNTING KIT R102 TRIMLESS WSC	Required

TWEETER M TRIMLESS SOFT 93045 B-C
21613 9030 B-C

FINISH YOUR SPECIFICATION


LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->3(3)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->2(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	1->5(3)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1(1)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	1->2	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1->2	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1->2	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2	☐

TWEETER M TRIMLESS SOFT 93045 B-C
21613 9030 B-C




21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1 ☐




21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2 ☐



21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8


1 ☐



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2 ☐


Mounting kits



15212 2010 MOUNTING KIT R102 TRIMLESS O.F.A.


☐

Mounting kits stretched ceiling



15212 0090 MOUNTING KIT R102 TRIMLESS CSC

☐



15212 0170 MOUNTING KIT R102 TRIMLESS WSC

☐



TWEETER M TRIMLESS SOFT 93045 B-C

21613 9030 B-C

Notes: