



ENTERO RD-S IP SOFT 93020 B

28481 9020 B



AVAILABLE IN

BLACK 28481 9020 B

FULL WHITE 28481 9020 FW

GOLD COLOURED 28481 9020 GC

WHITE 28481 9020 W



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 76
RECESSED DEPTH (MM)	115
THICKNESS OF MOUNTING SURFACE (MM)	max.16
INGRESS PROTECTION	IP44
WEIGHT (KG)	0.245
ADJUSTABILITY	0° to 20° swiveling, 355° rotatable
INFORMATION	REFLECTOR FL-20° EXCL.DIMMABLE LED POWER SUPPLY 500mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
CERTIFICATES	EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1038lm // 10,2W // 109lm/W
LED TECHNICS (LUMINAIRE)	661lm // 12W // 56lm/W

Requirements

LED POWER SUPPLY 500mA-DC DIM

Options

ENTERO RD-S MOUNTING SET S2

ENTERO RD-S IP SOFT 93020 B
28481 9020 B

For detailed installation instructions, please consult the manual: [28481_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Concrete	 ENTERO RD-S MOUNTING SET S2 Required
 Concrete + plaster	 ENTERO RD-S MOUNTING SET S2 Required
 Lintel + plaster	 ENTERO RD-S MOUNTING SET S2 Required
 Hollow-core slab	 ENTERO RD-S MOUNTING SET S2 Required
 Hollow-core slab + plaster	 ENTERO RD-S MOUNTING SET S2 Required
 Stretched ceiling	-

ENTERO RD-S IP SOFT 93020 B

28481 9020 B

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B










☐

21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

☐


ENTERO RD-S IP SOFT 93020 B

28481 9020 B

LED power supplies			#
	300 90 63	LED POWER SUPPLY MULTI-POWER DIM9	1->3(3) ☐
	300 90 68	LED POWER SUPPLY MULTI-POWER DIM5	1->2(1) ☐
	300 90 69	LED POWER SUPPLY MULTI-POWER HV DIM9	1->5(3) ☐
	300 90 124	LED POWER SUPPLY MULTI-POWER DIM7	1(1) ☐
	300 90 125	LED POWER SUPPLY MULTI-POWER MINI DIM5	1(1) ☐
	21012 0010	LED POWER SUPPLY MULTI POWER	1->2 ☐
	21012 0021	LED POWER SUPPLY MULTI POWER DIM1	1->2 ☐
	21012 0035	LED POWER SUPPLY MULTI POWER DIM5	1->2 ☐
	21012 005W	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2 ☐


ENTERO RD-S IP SOFT 93020 B

28481 9020 B




21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1

☐



21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2

☐


21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1


☐


21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2

☐

Replaceable reflector / lens



19810 0180 SPY 52 REFLECTOR 20°

☐


19810 0190 SPY 52 REFLECTOR 45°

☐


19810 0240 SPY 52 REFLECTOR 30°

☐

Mounting set S2



28500 0190 ENTERO RD-S MOUNTING SET S2

☐



ENTERO RD-S IP SOFT 93020 B

28481 9020 B

Notes: