




SLM26L F MDL B

29321 0010 B

AVAILABLE IN
BLACK 29321 0010 B



 [View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Floor Stand alone
INGRESS PROTECTION	IP20
WEIGHT (KG)	0
INFORMATION	INCL.POWER ADAPTER 48V-DC / 50W PLUG-IN INCL.FOOT SWITCH ON/OFF
Electrical info	
CLASS	II
POWER SUPPLY	YES
DIM TYPE	non-dimmable


For detailed installation instructions, please consult the manual: [29321_0010_HAND.pdf](#)

SLM26L F MDL B


29321 0010 B

COMPATIBLE LUMINAIRES

SHIFTLINE M26L/M35R - ODRON




26220 9200 M26L - ODRON 1 92728/41 MDL




26220 9300 M26L - ODRON 1 93028/41 MDL

SHIFTLINE M26L/M35R - ODRON 2




26222 9200 M26L - ODRON 2 92728/41 MDL




26222 9300 M26L - ODRON 2 93028/41 MDL


SHIFTLINE M26L/M35R - SPY 39




23258 9220 M26L - SPY 391 92720 MDL



23258 9230 M26L - SPY 391 92740 MDL



23258 9320 M26L - SPY 391 93020 MDL




23258 9330 M26L - SPY 391 93040 MDL

SLM26L F MDL B

29321 0010 B


SHIFTLINE M26L/M35R - SPY 39 2



23260 9220 M26L - SPY 392 92720 MDL




0.85°/360°



23260 9230 M26L - SPY 392 92740 MDL




0.85°/360°



23260 9320 M26L - SPY 392 93020 MDL



0.85°/360°



23260 9330 M26L - SPY 392 93040 MDL



0.85°/360°

Notes: