





SPIX M 24V 92730 N

29716 9230 N

AVAILABLE IN
ANTHRACITE (DARK GREY) 29716 9230 N
PINE GREEN 29716 9230 PGR



[View on website](#)

General info

LOCATION	outdoor
INSTALLATION	Floor Surface mounted,Wall Surface mounted
INGRESS PROTECTION	IP65
PROTECTION AGAINST MECHANICAL IMPACT	IK05
WEIGHT (KG)	0.6
ADJUSTABILITY	90° swiveling, 360° rotatable
INFORMATION	LENS FL-30° EXCL.LED POWER SUPPLY 24V-DC (non-dimmable or dimmable with PWM output)

Electrical info

ELECTRICAL	24V-DC
CLASS	III
ENERGY CLASS	G
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 8,2W / CRI>90 (R9: 56) / 2700K / 677lm
TM-30 VALUES	rf: 91 / Rg: 99
SDCM	SDCM2
RISKGROUP	RG2 (threshold 0,6m)
LM80	L90B10 > 41000
LED TECHNICS (LIGHT SOURCE)	677lm // 8,2W // 83lm/W
LED TECHNICS (LUMINAIRE)	454lm // 9W // 48lm/W

Requirements

LED POWER SUPPLY 24V-DC

Accessories

KAP STRIPER



SPIX M 24V 92730 N


29716 9230 N

For detailed installation instructions, please consult the manual: [**29716_XXX0_HAND.pdf**](#)

FINISH YOUR SPECIFICATION


LED power supplies

#




300 89 24 150 LED POWER SUPPLY 24V-DC / 150W

15




21012 0160 LED POWER SUPPLY 24V-DC / 24W

2




21012 0171 LED POWER SUPPLY 24V-DC / 60W DIM1

6




21012 0181 LED POWER SUPPLY 24V-DC / 90W DIM1

9




21012 0191 LED POWER SUPPLY 24V-DC / 120W DIM1

12



21012 0205 LED POWER SUPPLY 24V-DC / 60W DIM5

6




21012 0225 LED POWER SUPPLY 24V-DC / 100W DIM5

10

SPIX M 24V 92730 N

29716 9230 N


Miscellaneous control equipment



21032 0320 AMBIENT LIGHT SENSOR AND 24V DIMMER (PWM)

☐

Light altering devices



223 00 10 B KAP STRIPER B

☐

Notes: